1 LOCATION OF WA	TER WELL:	FRACTION	R WE		1	'		WC-5 ECTION NUMI	KSA 82a-7 BER TOWN	SHIP NUMBER	RANG	GE NUMBER
Sedgwick		SE	1/4	\mathbf{SW}	1/4	\mathbf{SW}	1/4	19	Т Т	25 s	R	1E E/W
	rom nearest town or city											
	t of Meridian, 1				******			Valley C	enter, Kans	as		
WATER WELL RR#,ST. ADDRES		LEY CE S. Park	NTER	SCH	OOL	USD 2	262			Board of	Agriculture, Division	n of Water Resour
		s. Fark ey Centei	. Kans	sas				ZIP CODE:	67147	Application	Mumber:	
LOCATE WELL'S		DEPTH OF			/FII:	4(^	t.	ELEVATIO		reditiber.	
S NI "X" NA HTIW	ECTION BOX:	oth of groun						ft.		ft.		ft,
		ELL'S STAT				15	FT. BEI		SURFACE ME	ASURED ON m	no/dav/vr: Ĵ	3/17/11
	NE		Pump	test da	ta:	Well wat	er was		ft. after	ho	ours of pumping	@ g
w W	'	Est. Yield:		gpm	_	Well _, wa	ter was		ft. after	ho	ours of pumping	@ gr
∑ W	' 1 1	ore Hole Dia		12			to	40	ft. and	in		o f
sw	- I I	ELL WATEF . Domestic		USED A		ublic wa	ter suppl	v (7. Law	n and garden	9. Dewat	tomig	Injection well
	1	. Irrigation		dustria		Oil field w			conditioning		ı∠. Otne oring well	er (Specify belo
1 1 2 3		Vas a chemica						? YES	NO	•	es, what mo/day	•
T TYPE OF C		bmitted							s Water Well D	isinfected?	(YES)	NO
TYPE OF C	ASING USED: 3. RPM (SF	5. W	rought Ire	on	7. F	iberglass	9.	Other (Spe-	cify below)	CASING JOINT:		Threaded
2. PVC	> 4. ABS	•	bestos-0	Cement	8. C	oncrete ti	le S	DR-26			Welded	Clamped
Blank casing diame	eter 5	in.	to 2	0 ft.	,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height abo	ve land surface:	12	in.,		We	eight:	2.35	lbs, / ft.	Wa	II thickness or g	auge No.	214
TYPE OF SCREEN	OR PERFORATION	MATERIAL	<u></u> :							· ·		
1. Steel	3. Stainless Steel	5. Fibe	-	<	7. P\			. ABS		. Other (specify)		
2. Brass	4. Galvanized	6. Cond	crete Tile	9	8. RI	MP (SR)	10	. Asbestos-0	Cement 12	. None used (op	oen hole)	
	FORATION OPENING					_						
1. Continuous si		ot		uzed w	• • •			Torch cut	9. I	Orilled holes	11. Nor	ne (open hole)
2. Louvered shu	tter 4. Key pı	unched	6. W i	re wrap	ped		8.	Saw cut	10.	Other (specify)		
SCREEN - PERFO	RATION INTERVAL	From		20	ft.	to	40	ft.,	From	ft.	to	ft.
		From			ft.	to		ft.,	From	ft.	to	ft.
GRAVEL F	ACK INTERVALS:	From		20	ft.	to	40	ft.,	From	ft.	to	ft.
		From			ft.	to)	ft.,	From	ft.	to	ft.
GROUT MATE	i, iveat			2. Cen	nent Gi	out		3. Bentor	nite	Other be	entonite holo	e plug
Grout Intervals:		ft.	to	20	ft.,	From		ft. to	o ft.	From	ft.	to
1. Septic tank	source of possible co			it privy	,	1	0. Livest	ock pens	13. ins	ecticide storaç	ge 15. Oil v	vell/Gas well
2. Sewer lines	5. Cess F		8. S	Sewage	lagoor	1 '	11. Fuel s	torage	14. Ab	andon water w	ell 16. Othe	r (specify belo
3. Watertight sev	ver line 6. Seepa	ge pit	9. F	eed ya	rd		12. Fertili	zer storage	•		None	Apparent
Direction from well	?								Hov	v many feet?		
From To		LITHOL	OGIC	LOG			Fron	n To		LITHO	LOGIC LO	3
$\begin{array}{c c} 0 & 3 \\ \hline 2 & 16 \end{array}$	topsoil											
3 16 16 22	clay fine sand				**		 				- · · · · · · · · · · · · · · · · · · ·	
22 40	gray shale					· · · · · · · · · · · · · · · · · · ·						
				·			ļ					
							-					
ı							 					
	1						1	l l	I			
			***************************************				1			······································		

was completed on (mo/day/year) 3/17/2011 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/21/2011

under the business name of Harp Well and Pump Service by (signature) Todd S. Horp