1 LOCATION OF WATER WELL:			FRACTION		ater Well Rec	cord Form	WWC-3	KSA 82a-1212 Section Number	Township Number	Range Number	
Sedgwick			NW	1/4 SW	1/4	SW	1/4	15	25	1172	
		frem nearest town or city str	reet address of w						T 25 S	I R II E/W	
10356 N. Hydraulic Valley Center, Kansas											
WATER WELL OWNER: Bahr, Calvin											
RR#, ST. ADRESS, BOX#: 10356 N. Hydraulic Board of Agriculture, Divivsion of Water Resource											
CITY, STATE, ZIP CODE: Valley Center, Kansas  Application Number:											
-		OCATION WITH 4		COMPLET		r. 9	5	ft. ELE	EVATION:		
	IN SECTIO	N DOV.		oundwater Er			_	ft.	2 ft.	3 ft.	
l t		Market Company of the		TIC WATER			FT.		RFACE MEASURED ON mo/day/yr	06/01/1998	
	1	-		np test data:		ll water v			after hours pun	. •	
	NW-	NE  Est	. Yield	gpm		ll water v		ft.	after hours pun		
w Kil			re Hole Dian			to 9		ft.	and in.	nping gpm to ft.	
≧ w		1 1 121		R TO BE USI		**				Injection well	
1 Domestic					·					Other (Specify below)	
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							,			
	Was a chemical/bacteriological sample submitted to Department? Yes  No X ; If yes, mo/day/yr sample was								no/day/yr sample was		
	S submitted Water Well Disinfected? Yes X No										
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped											
1 Steel 3 RMP (SR)					6 Asbestos-Cement 9 Othe			Other (Specify b	ther (Specify below) Welded		
2 PVC	1	4 ABS		7 Fit	erglass		SI	DR-26	•	Threaded	
Blank ca	sing Dian	neter 5 in.	to 95	ft.	, Dia		in.	to	ft., Dia in.	to ft.	
		ve land surface 12		in.,	weight	t2.35		lbs. / ft.	Wall thickness or gauge No.	.214	
		EN OR PERFORATIO	ON MATERI					PYC	10 Asbestos-cem		
1 Stee		3 Stainless Steel			erglass			RMP (SR)	11 other (specif	- /	
2 Bras		4 Galvanized steel		6 Con	crete tile		9	ABS	12 None used (o	• '	
T F T								11 None (open hole)			
1 Contin		3 Mill slot			6 W	ire wrapp	ed		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN	N-PERFO	RATION INTERVAL	LS: fron	1 24		ft. to 95		ft., From	ft. to	ft.	
from					ft. to		ft., From		ft.		
GRAVEL PACK INTERVALS: from 24					ft. to 95		ft., Fron		144		
CORO	TUD BALAGE	the state of the s	ft. to		ft., Fron		ft				
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 4 ft. to 24 ft. From ft. to 6 ft. To 6 ft. To 6 ft. From ft. To 6											
What is the account of the country o											
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel st		Abandon water well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon				12	Oil well/Gas well Other (specify below)		
	rtight sew	=		9 Feedyard			13 Insecti	Apparent			
Direction from well?  How many feet?											
FROM	ТО	LII	LOG	FROM			TO PLUGGING		ERVALS		
	3	topsoil									
	15	clay									
$\vdash$	32	brown shale									
32	95	gray shale	****							***************************************	
		The state of the s									
<b></b>											
										*	
								<u> </u>			
		· · · · · · · · · · · · · · · · · · ·								*	
				- majowa							
				, , , , , , , , , , , , , , , , , , , ,						w.	
7 CON	ump + cm	ODIC		<b></b>				-41 (2)			
The completed on (mo/daylycon) 06/01/1998											
Water Well Contractor's License 236 This Water Well Record was completed on 06/02/98											
Water Well Contractor's License 18.6											
Under	the busi	iness name of						by	(signature) Todd x	8. Harp	
1								•	,	/-	