1 LOCATION OF WATER WELL:	FRACTION	Water Well Recor	rd Form WWC-5	KSA 82a-1212 Section Number		
Sedgwick	SE 1/4	SW 1/4	CT: 1/4		Township Number	Range Number
Distance and direction frem nearest town or city str			SE 1/4	21	T 25 s	R 1E E/W
1112 E. 93rd N.			allev C	enter, K	272 CI 2 CI	
	RT, Larry	V	arrea C	encer, K	amsas	——————————————————————————————————————
	E. 93rd N				Board of Agriculture, I	Divivsion of Water Resource
CITY, STATE, ZIP CODE: Valle	y Center,	Kansas	7776 W. A. A. V. A. V		Application Number	er:
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COM	IPLETED WELL	65	ft. ELE	VATION:	
N	Depth(s) groundwa		1	ft.	2 ft.	3 ft.
	ELL'S STATIC WA	_		BELOW LAND SU	RFACE MEASURED ON mo/day/yr	08/13/1998
NE	Pump test	*******	water was	ft.	after hours pun	nping gpm
e Est	t. Yield		water was		after hours pun	
1 = 77 1 1 2 1	re Hole Diameter ELL WATER TO B	12 in.	to 65	ft.	and in.	to ft.
	1 Domestic	3 Feedlot	5 Public water 6 Oil field wat	** •	· ·	(njection well Other (Specify below)
SWSE	2 Irrigation	4 Industrial	7 Lawn and g		0 Monitoring well	Juici (Speerly below)
W ₂	as a chemical/bacte	riological sample s		•	9	no/day/yr sample was
	ubmitted				er Well Disinfected? Yes	• •
5 TYPE OF CASING USED:		5 Wrought iron	8	Concrete tile		Glued X Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Ceme	ent 9	Other (Specify be		Velded
2 PVC 4 ABS		7 Fiberglass	SI	DR-26	ר	Threaded
Blank casing Diameter 5 in.	. to 30	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 12	in. , NN MATERIAL .	weight 2			Wall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)						
2 Brass 4 Galvanized steel 6 Concrete tile				8 RMP (SR) 11 other (specify) 9 ABS 12 None used (open hole)		
			zed wrapped	O.C.		
1 Continous slot 3 Mill slot 6 Wire wi				Tapped (open note)		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATION INTERVAL	S: from 30		. to 65	ft., From		ft.
	from		t, to	ft., From		ft.
!		t. to 65	•		ft.	
	from	ft	t. to	ft., From	ft. to	ft.
6 GROUT MATERIAL: 1 Neat cem		ement grout	3 Ben	tonite	4 Other bentonite	e hole plug
Grout Intervals: From 4 ft. to 24 ft. From What is the nearest source of possible contamination:		ft. 1	10 Y t		4.44	
I		7 Pit privy			an a	Abandon water well
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		8 Sewage lag	oon	11 Fuel storage 12 Fertilizer storage		Oil well/Gas well Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard				13 Insecticide storage None Apparent		
Direction from well? How many feet?						
	THOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS
0 4 topsoil						
4 25 clay						
25 37 medium fir	ne sand				No. 10 11 11 11 11 11 11 11 11 11 11 11 11	
37 65 shale						
	And have the contract of the c					
					A 11 114 12 114 114 114 114 114 114 114 1	
					·	

7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: Thi	is water well was	(1) construct	ed, (2) reconstru	ucted, or (3) plugged under	my jurisdiction and
was completed on (mo/day/year)	08/13/.	1338	and this rec	ord is true to th	ne best of my knowledge and	belief. Kansas Water
Well Contractor's License No2 Under the business name of Hax	.J.V	ınıs Water Well I Pump Serv	Record was co	ompleted on (m	o/day/yr)	././. .
	g		70 M M M M M	w ny (siyil	Jodd J	S. Harp