4 LOCA	TION OF W	ATED WELL.	FRACTION	Water Well Recor	d Form WWC-5	KSA 82a-1212	1		
LOCATION OF WATER WELL:				CT	NTTAT 414	Section Number	Township Number	Range Number	
Sedgwick NE Distance and direction from nearest town or city street address of w					NW 1/4	31	ј _т 25 _s	$ ho$ R 1E $_{\rm E/W}$	
645 E. 3rd Valley Center, Kansas									
WATER WELL OWNER: DILLI, Larry									
RR#,	ST. ADRESS						Board of Agricultur	e, Divivsion of Water Resource	
CITY, STATE, ZIP CODE: Valley Center, Kansas						Application Number:			
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 33 ft. ELEVATION:									
AN "X	IN SECTIO	N BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
	NW	/NE	Pump test		water was		after hours p	umping gpm	
<u> </u>		1 1 1	. Yield	61	water was	ft.	after hours p		
1 Mile			e Hole Diameter	12 in.	to 33	ft.		n. to ft. 1 Injection well	
WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply						8	2 Other (Specify below)		
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							(· F · · · · · · · · · · · · · · · ·		
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample wa								
S submitted Water Well Disinfected? Yes X No									
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded									
2 PVC 4 ABS 7 Fiberglass SDR - 26 Threaded									
Blank casing Diameter 5 in. to 20 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Stee		3 Stainless Steel	IV WITH ENGLIS.	5 Fiberglass		RMP (SR)	11 other (spec		
2 Bras	ss	4 Galvanized steel		6 Concrete tile		ABS	12 None used	• /	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapper							8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot 6 Wire wrapped							9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 20 ft. to 27 ft., From ft. to ft.									
from ft. to						ft., Fron	n ft. 1	o ft.	
					ft. to 33	ft., Fron		to ft.	
from ft. to ft., From ft. to ft. GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hop top it a half a place.									
Grout Intervals: From 0 # to 20									
What is the nearest source of possible contamination:					It.	ft. to ft. From ft. to ft. 10 Livestock pens 14 Abandon water well			
1 Septic tank 4 Lateral lines			7 Pit privy	7 Pit privy			5 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lag	8 Sewage lagoon		zer storage	6 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? South How many feet? 25									
FROM	OTO		HOLOGIC LOG		FROM	TO	PLUGGING IN	TERVALS	
0 2	2 8	topsoil fine sand							
8	18	clay							
18	32	medium sar	nd						
32	33	clay							
<u> </u>									
			M. A.						
	ļ				_			1000,000 (400) da la const	
							· · · · · · · · · · · · · · · · · · ·		
			A.						
			3000						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
	Well Contractor's License No236								
Under the business name of Harp Well & Pump Service. Inc. by (signature) Jodd S. Harp									
ı							Joaa	XI. IVATA	