	WATE	R WELL REC	JORD F	orm WW	VC-5 K	SA 82a-121			
1 LOCATION OF WATER WELL					TION NUMBE			RANGE NU	
Sedgwick	SE		1/4 NW	1/4	31	T 25	5 S	R 1E	EW
Distance and direction from neares	-		_						
Sun Flower Garde			y Center, k	ansas					
2 WATER WELL OWNER		E HOUSING					Board of Agric	culture, Division of W	ater Resource
RR#,ST. ADDRESS,BOX #					P CODE: 6	7214	Application Num	har:	
CITY, STATE			11: 40		P CODE: 0		Application Num	Del.	
J LOCATE WELL'S LOCATION WITH AN "X" IN SECTION B	OX: 4 DEPTH OF	COMPLETED WE	LL:			ELEVATION:			
N N	Depth of grou	ndwater Encountere		ft.			ft.	0.4	ft.
	WELL'S STA	TIC WATER LEVEL			W LAND SU	JRFACE MEASU			
		Pump test data				ft. after		of pumping @	gpn
w Wile	Est. Yield	3,-	Well wa		10 ft	ft, after		of pumping @	gpm
1	Bore Hole D	R TO BE USED AS	in.	to 4	10 ft	. and	in.	to	ft. tion well
SW SE-	1. Domestic			ter supply	7. Lawn	and garden only	> Dewaterin	ig 12. Other (Sp	
	2. Irrigation	4. Industrial	6. Oil field w			nditioning	10. Monitorin		cony below
	Was a chemic	cal/bacteriological samp			YES	NO		/hat mo/day/yr w	
	submitted				Was \	Water Well Disinfo	ected?	YES N	10
5 TYPE OF CASING U	5. V	Vrought Iron	7. Fiberglass	9. O	ther (Specify	below) CAS	ING JOINTS: (Glued	Threaded
1. Steel	3. RPM (SR)	_	•	sDI	R-26			Welded	Clamped
2. PVC	4. ABS	sbestos-Cement	8. Concrete ti	ie					
Blank casing diameter	5 in.	to 30 ft.,	Dia.	in.	to	ft.,	Dia. i	n. to	ft.
Casing height above land s	urface: 12	in.,	Weight:	2.35 II	bs. / ft.	Wall thi	ckness or gaug	e No214	
TYPE OF SCREEN OR PER						44.00	(
			7. PVC	9. A			ner (specify)		
2. Brass 4. Galva	inized 6. Cor	ncrete Tile	8. RMP (SR)	10. A	sbestos-Ce	ment 12. No	ne used (open l	nole)	
SCREEN OR PERFORATION	N OPENINGS ARE:								
1. Continuous slot	3. Mill slot	5. Gauzed wra	pped	7. To	rch cut	9. Drill	ed holes	11. None (o	pen hole)
2. Louvered shutter	4. Key punched	6. Wire wrappe	ed	8. Sa	w cut	10. Othe	er (specify)		
SCREEN - PERFORATION I	NTERVAL From	30 f	ft. to	40	ft.,	From	ft.	to	ft.
	From		t. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INT			-		ft.,	From	ft.	to	ft.
OTO TO ELECTRON INTO									
	From	1	t. to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS:	1. Neat cement		nt Grout	3	3. Bentonite	•		onite hole plu	• 4
Grout Intervals: From What is the nearest source or		to ft.	., From	ft.	to	ft.,	From 4	ft. to	24 ft.
1. Septic tank	4. Lateral lines	7. Pit privy	1	0. Livestoc	k pens	13. Insecti	cide storage	15. Oil well/G	as well
2 Severe leaves 11 First storage									ecify below)
2. Sewer lines 5. Cess Pool 14. Abandon water went									
3. Watertight sewer line Direction from well?	orth	o oou yu.u	·		· cto. ago	How ma	iny feet? 30 f	t. nlus	
From To		OGIC LOG		From	То	1,0,1,1,0	LITHOLO		
0 3 tops		.00.0200		1 10111	'-		Lillioto	0.0 200	
3 21 clay									
21 27 fine	sand								
27 40 med	ium sand								
				<u> </u>					
		· · · · · · · · · · · · · · · · · · ·		ļ					
									
7 Contractor's or Landow	ner's Certification: Thi	s water well was 1.6	constructed) 2. re	constructe	d or 3. I	olugged (under my jurisdicti	on and
was completed on (mo/da	0.07	(0.00.0				knowledge and b	elief.		
Kansas Water Well Contra	, , ,	_				d on (mo/day/yea		1/20	
i					-				
under the business name	ot Harp Well an	d Pump Servic	ce	by (si	gnature)	T_{ℓ}	radis.	.Harb	