		Fraction	1./	Section	Number	Township Number	Range N	umber
	County: Street/Rural Address of Well Location;			Clobal P	ocitioning (T S Systems (GPS) info	rmation	L E
	direction from nearest town or intersect	*		Latitude:	usitivilling t	systems (G1 5) into	(in dec	imal degre
	check here			Longitude	e:		(in deci	mal degree
				Elevation	:	S84, NAD8	2 NA	D27
					n Method:	364, NAD6	5, INA	MD21
2	WATER WELL OWNER:					e/Model:		
_	RR#, St. Address, Box #:			☐ Dig	gital Map/Pho	oto, 🗌 Topographic	Map, \square L	and Survey
	City, State ZIP Code:			Est. Accur	acy: 🗆 <	3 m, □ 3-5 m, □] _{5-15 m} , [$\square > 15 \text{ m}$
2	MADE WELLS LOCATION	4 DEPEN	T 11/12 I				·	
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION	4 DEPTH O	F WELL		It.			
	BOX:	WELL'S S	TATIC W	ATER LEVI	EL	ft		
		WELL WA	AS USED A	AS:				
	NW NE	Domest	ic [Public V	Vater Suppl	ly Dev	vatering	
		Irrigation	on .	Public V Oil Field Domesti	d Water Su	oply Moi	nitoring	
W	E	Feedlot	1	Domesti	c (Lawn &	Garden) Inje	ction Well	
	SW SE	☐ Industri	aı l	☐ Air Con	unuomng	□ Otn	er	
		Was a chem	nical/bacter	riological san	nple submit	ted to Department?	Yes	No 🗌
5	S TYPE OF BLANK CASING USE							
6	Blank casing diameter in. Casing height above or below land	surface	nt		If yes, ho			
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible	Asbestos-Ceme Was casing pull surface Neat cement ft. to	nt	Concrete Tile No nent grout	If yes, ho Benton	w much	ft. to	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines S	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination deepage pit it privy	nt	No No nent grout storage lizer storage	If yes, ho Benton	w muchite	ft. to	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cleepage pit it privy sewage lagoon	nt	No No No Storage	If yes, ho Benton	w muchite	ft. to	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible sewer lines	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination deepage pit it privy	nt	No No nent grout storage lizer storage	If yes, ho Benton t. to well Dir	w muchite	ft. to	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination leepage pit it privy lewage lagoon reedyard livestock pens	nt	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below ection from well? w many feet?	ft. to	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pull surface Neat cement ft. to cleepage pit it privy sewage lagoon deedyard	nt	No N	If yes, ho Benton t. to well Dir	w much ite Other _ft., From Other (specify below ection from well? w many feet?	ft. to	ft.
66	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination leepage pit it privy lewage lagoon reedyard livestock pens	nt	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below ection from well? w many feet?	ft. to	ft.
66	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination leepage pit it privy lewage lagoon reedyard livestock pens	nt	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below ection from well? w many feet?	ft. to	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination leepage pit it privy lewage lagoon reedyard livestock pens	nt	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below ection from well? w many feet?	ft. to	ft.
66	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination leepage pit it privy lewage lagoon reedyard livestock pens	nt	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below ection from well? w many feet?	ft. to	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination leepage pit it privy lewage lagoon reedyard livestock pens	nt	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below ection from well? w many feet?	ft. to	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cle contamination leepage pit it privy lewage lagoon reedyard livestock pens	nt	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below ection from well? w many feet?	ft. to	ft.
7	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pull surface Was casing pull surface Neat cement ft. to clee contamination deepage pit fit privy fewage lagoon feedyard divestock pens GGING MATERI WNER'S CERT	nt	No N	If yes, ho Benton t. to well Dir Ho TO	w much ite	ft. to	ALS
7	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pull surface Was casing pull surface Neat cement ft. to clee contamination deepage pit fit privy fewage lagoon feedyard divestock pens GGING MATERI WNER'S CERT	nt	No N	If yes, ho Benton t. to well Dir Ho TO	w much ite	ft. to	ALS
7 con We	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Ceme Was casing pull surface Neat cement ft. to cleepage pit it privy dewage lagoon feedyard divestock pens GGING MATERI WNER'S CERT This W	nt	No N	If yes, ho Benton It. to Well Dir Ho TO To Tater well verto the best completed of	w much ite	g MATERIA my jurisdic and belief. I	tion and v

KSA82a-1212

Revised 1/29/2014