				WWC-5 Division of Water				
1 LOCA	TION OF Y	Correction Chan	ge in Well Use		ources App. No.		Well ID	
1 LOCATION OF WATER WELL: County: Sedgwick			Fraction	i i	ction Number	Township Number	1 -	
2 WELL OWNER: Last Name: SEYBOLD			SE ¼NW ¼NW			T 25 S	R1 RE W	
Busines		Last Name: SEYBOLD	First: Paul				unknown, distance and	
		Jeanette Ave.		direction from	direction from nearest town or intersection): If at owner's address, check here:			
Address								
City:	Wichita	State: Kans	sas ZIP: 67203	4100 E. 1	109th St. N	. Valley Cente	er, Kansas 67147	
3 LOCAT		4 DEPTH OF COM	MPI FTFD WFII.	85 A	53.44	27 00020		
WITH "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL: \$5								
N 2) ft.			3) ft., or 4)	☐ Dry Well	Longitud	le: 7.9.7.7.48829.7.	(decimal degrees)	
WELL'S STATIC WAT			TER LEVEL: 22	ft.		Latitude/Longitude:	\square NAD 83 \square NAD 27	
below land surface			, measured on (mo-day-	_{vr)} 12/19/22			ne)	
NW NE above land surface,			, measured on (mo-day-	/r)		WAAS enabled?		
Pump test data: Well w			vater was f	t.	☐ Land	☐ Land Survey ☐ Topographic Map		
W ⊨ E afterhour			s pumping	gpm	☐ Onlin	☐ Online Mapper:		
			water was f					
		Estimated Yield:	s pumping	gpm	6 Elevation	6 Elevation:ft. ☐ Ground Level ☐ TOC		
S Bore Hole Diameter: 1			gpin 2 in. to 85	ft and		Source: Land Survey SPS Topographic Map		
1	mile	1	in. to		<u> </u>	Other		
7 WELL WATER TO BE USED AS:								
1. Domestic			ater Supply: well ID	4	10 🗀 Oil Eid	ld Water Supply laces		
■ House	ehold	6. Dewaterin	g: how many wells?		11 Test Hole	10. ☐ Oil Field Water Supply: lease		
☐ Lawn & Garden 7. ☐ Aquifer R			lecharge: well ID	harge: well ID			technical	
Lives		8. 🔲 Monitorin	ng: well ID	well ID 12. Geothermal: how many hores?				
2. Irriga		Environment	al Remediation: well I	ID a) Closed Loop Horizontal Vertical				
3. Feedle		☐ Air Sparge		Extraction b) Open Loop Surface Discharge Inj. of Water			arge Inj. of Water	
Recovery Injection 13. Other (specify);								
Was a chemical/bacteriological sample submitted to KDHE? Yes No. If yes, date sample was submitted:								
water well disinfected? 🗷 Yes 📗 No								
8 TYPE C	OF CASING	SUSED: 🗌 Steel 🗷 PV	C Other	CASI	NG JOINTS:	Glued Clamped	Welded Threaded	
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5								
Casing height above land surface 12 in. Weight 2.35 lbs./ft. Wall thickness or gauge No. SDR-26								
District Control Control Control								
Uther (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Louvered Shutter Key Punched Wire Wrapped Source (Specify)								
SCREEN-PERFORATED INTERVALS: From 45								
URAVEL FACK INTERVALS: From It. to ft. From ft to ft From ft to								
Grout Intervals: From 4 ft to 24 ft From A ft to 24								
real est source of possible contamination:								
■ Septic Tank								
Sewage Lagoon								
Walerlight Newer Lines Seenage Dit Deadword Dr. 1997								
Direction from well? will be SE A(() p): 100/A ± (7 a / /								
Other (Specify) Direction from well?								
0			SIC LUG	FROM	TO LIT	HO!LOG (cont.) or PL	UGGING INTERVALS	
3		topsoil clay						
10		fine sand		+				
40		gray shale		+				
· · · · · · · · · · · · · · · · · · ·	-			+				
				NI. 4				
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo day year) 12/19/2022								
The second of the way completed on time-may-vent 12/12/12/22 and this record is thus to the best of min language in the second is the best of min language.								
							1 /2022	
IVIAII I W	mic copy along	s with a ree of \$3.00 for each of	constructed well to: Kansa	is Denartment of I	Health and Environ	ment Durgon of Woter Cl	WTS Section,	
Wilder of the state of St., Salic 420, Topeka, Kaisas 60612-1367. Mall one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
visit its at nitt	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							