1 LOCATION OF WATER WELL:						
	Fraction	Lun	Sec	ction, Number	r Township Number	Range Number
County: SEOG WICK  Distance and direction from nearest to			NB 1/4	#O_	T 25 s	R
Distance and direction from hearest to		ATT A	d within city?			
2 WATER WELL OWNER: CHA	IRCES HU	NSINGER				
RR#, St. Address, Box # : RH;	BOX 262	12 12	1119			e, Division of Water Resource
City, State, ZIP Code	EY CENTE	R KS 67.	17/		Application Numbe	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	H 4 DEPTH OF CO	OMPLETED WELL	5.3.1			
geninesseniosenioseniosenioseniosenioseni	Depth(s) Ground	vater Encountered 1.	a a	<b>7</b> tt	, <b>2</b>	: 3 <sub>է 1</sub> , - <sub>3</sub> , - <sub>2</sub> , <sub>3, 2</sub> , <sub>2</sub> ,ft.
₹   \ <b>⊗</b>					urface measured on mo/day	
NW NE						pumping gpm
						pumping gpm
W I I					, and	.in. to
₹ "   !   !	WELL WATER I	O.BE USED AS:	5 Public water	er supply	8 Air conditioning	11 Injection well
SW SE SE	THE REAL PROPERTY AND ADDRESS OF THE PARTY AND		6 Oil field wa	ter supply	9 Dewatering	12 Other (Specify below)
	2 Irrigation				The second second	
	Was a chemical/b	acteriological sample s	submitted to D	epartment?	Yes No	es, mo/day/yr sample was sul
S	mitted				/ater Well Disinfected? Yes	) No
5 TYPE OF BLANK CASING USED:	•	5 Wrought iron	8 Concr	ete tile	CASING JOINTS: GI	ued Clamped
1 Steel 3 RMP (	SR)	6 Asbestos-Cement	9 Other	(specify bel	ow) W	elded
2 PVC 4 ABS		7 Fiberglass				nreaded
Blank casing diameter 5	in. to	ft., Dia	in. to		ft., Dia	in. to ft.
Casing height above land surface 5.	BELOW	in., weight		lb:	s./ft. Wall thickness or gauge	No
TYPE OF SCREEN OR PERFORATI	ON MATERIAL:		7 PV		10 Asbestos-ce	ment
1 Steel 3 Stainle		5 Fiberglass	8 RN	IP (SR)	11 Other (spec	ify) NA
	nized steel	6 Concrete tile	9 AE	S	12 None used	(open hole)
SCREEN OR PERFORATION OPEN			ed wrapped		8 Saw cut	11 None (open hole)
• **	Mill slot	6 Wire v	wrapped		9 Drilled holes	AIA.
	Key punched	7 Torch			10 Other (specify)	<i>NA</i>
SCREEN-PERFORATED INTERVALS						t. toft
						t. toft
GRAVEL PACK INTERVALS						t. to
	From	ft. to		ft., Fi		t, to ft
6 GROUT MATERIAL: 1 Nea	t coment	2 Cement grout	8 3 Bento	"Daniel "many	•	· « « • • • • • « « • • • • • • • • • •
Grout Intervals: From 25		ft., From	······ (C	Z: 19		ft. to ft
What is the nearest source of possible		n mili Since			• • • • • • • • • • • • • • • • • • • •	Abandoned water well
	teral lines	, , , , <b>p</b> , <b>y</b>			el storage 15	
2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Sec	ss pool	8 Sewage lagoon		40 E-	anning in the contract of the	Oil well/Gas well
Direction from well?		O Frankling	oon			Other (specify below)
	epage pit	9 Feedyard	oon	13 lns	ecticide storage	
The state of the s				13 Ins How m	ecticide storage	Other (specify below)
FROM TO	LITHOLOGIC I		FROM	13 Ins How m	ecticide storage any feet? PLUGGIN	
and the second s				13 Ins How m	ecticide storage	Other (specify below)
The state of the s			FROM 53'	13 Ins	ecticide storage any feet? PLUGGING SANO	Other (specify below)  INTERVALS
The state of the s			FROM	13 Ins How m	ecticide storage any feet? PLUGGING SANO BENTONITE	G INTERVALS  Hole Plu6
The state of the s			FROM 53'	13 Ins. How m TO 25	ecticide storage any feet? PLUGGING SANO BENTONITE	G INTERVALS  Hole Plu6
The state of the s			FROM 53'	13 Ins	ecticide storage any feet? PLUGGING SANO BENTONITE	Other (specify below)  INTERVALS
The state of the s			53' 25'	13 Ins How m TO 25'	PLUGGING SAND BENTONITE PORTLAND	G INTERVALS  Hole Plu6
The state of the s			FROM 53'	13 Ins. How m TO 25	ecticide storage any feet? PLUGGING SANO BENTONITE	G INTERVALS  Hole Plu6
The state of the s			53' 25'	13 Ins How m TO 25'	PLUGGING SAND BENTONITE PORTLAND	G INTERVALS  Hole Plu6
The state of the s			53' 25'	13 Ins How m TO 25'	PLUGGING SAND BENTONITE PORTLAND	G INTERVALS  Hole Plu6
The state of the s			53' 25'	13 Ins How m TO 25'	PLUGGING SAND BENTONITE PORTLAND	G INTERVALS  Hole Plu6
The state of the s			53' 25'	13 Ins How m TO 25'	PLUGGING SAND BENTONITE PORTLAND	G INTERVALS  Hole Plu6
The state of the s			53' 25'	13 Ins How m TO 25'	PLUGGING SAND BENTONITE PORTLAND	G INTERVALS  Hole Plu6
The state of the s			53' 25'	13 Ins How m TO 25'	PLUGGING SAND BENTONITE PORTLAND	G INTERVALS  Hole Plu6
The state of the s			53' 25'	13 Ins How m TO 25'	PLUGGING SAND BENTONITE PORTLAND	G INTERVALS  Hole Plu6
FROM TO	LITHOLOGIC	LOG	FROM 53' 25' 8' 4'	13 Ins. How m TO 25' 8'	PLUGGING SAND BENTONITE PORTLAND SOIL	GINTERVALS  HOLE PLUG  EMENT
FROM TO  7 CONTRACTOR'S OR LANDOWN	LITHOLOGIC I	LOG ON: This water well wa	FROM 53' 25' 8' 4'	13 Ins. How m TO 25' 8'	PLUGGING SAND  BENTONITE  PORTLAND  Constructed, of (3) plugged	GINTERVALS  HOLE PLUG  SEMENT  under my jurisdiction and wa
TO T	LITHOLOGIC I	LOG ON: This water well wa	FROM 53' 25' 8' 4'	13 Ins. How m TO 25' 8'  4' O'  cted, (2) re and this re	PLUGGING SAND  BENTONITE  PORTLAND  Constructed, or (3) blugged cord is true to the best of my	G INTERVALS  HOLE PLUG  EMENT  under my jurisdiction and wa knowledge and belief. Kansa
TO	LITHOLOGIC I	LOG ON: This water well wa	FROM 53' 25' 8' 4'	13 Ins. How m TO 25' 8' 4' O' cted, (2) re and this reas complete.	PLUGGING SAND  BENTONITE  PORTLAND  SOIL  constructed, or (3) blugged cord is true to the best of my do on (mo/day/yr)	G INTERVALS  HOLE PLUG  EMENT  under my jurisdiction and wakknowledge and belief. Kansa
T CONTRACTOR'S OR LANDOWN completed on (mo/day/year) / O/	LITHOLOGIC	ON: This water well wa	FROM 53' 25' 8' 4'  as (1) constru	13 Ins. How m TO 25' 8'  4' 0'  acted, (2) re and this re as complete by (sign	PLUGGING SAND  BENTONITE  PORTLAND  Constructed, or (3) blugged bord is true to the best of my daylyr) (1) and the constructed of (1) blugged bord is true to the best of my daylyr) (1) and true (1) blugged bord is true to the best of my daylyr) (1) and true (1) blugged bord is true to the best of my daylyr) (1) and true (1) blugged bord is true to the best of my daylyr) (1) blugged bord is true to the	Cother (specify below)  GINTERVALS  HOLE PLUG  EMENT  under my jurisdiction and was knowledge and belief. Kansa