				ER WELL RECORD F	orm WWC-5	KSA 82a				
	ON OF WAT		Fraction	A / M	Pare 1	tion Number	Township N		Range Number	
	Seago nd direction		wn or city street	$\frac{\sqrt{4}}{3}$ $\frac{\sqrt{3}}{\sqrt{4}}$ $\frac{\sqrt{4}}{\sqrt{4}}$ $\frac{\sqrt{4}}{\sqrt{4}}$ address of well if located	within city?	29_	<u>т 25</u>	' S	R / EW	
	5	500 L	ong La	NE						
2 WATEF	WELL OW	NER: RICH	IARD M	ANNING					,	
RR#, St. Address, Box # : 500 Cong CANE						Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : INICHITA, KS (07209					Application Number:					
LOCATE	WELL'S LO	OCATION WITH	4 DEPTH OF	COMPLETED WELL	30	, ft. ELEVA	TION:		. ,	
	IN SECTION	, box.	Deptit(s) Groun	dwater Encountered 1.		7	(c) (c) (c) (c) (d)	11. 3	The same of the sa	
Ĭ				C WATER LEVEL						
	- NW	NE							mping gpm	
	1		1	5	9 64	APPS .			mping gpm	
Wile w		E	1						toft.	
Σ		! !	1		Public wate		8 Air conditioning	•	Injection well	
-	- SW	SE	1 Domesti		Oil field wat				Other (Specify below)	
	ŀ	1	2 Irrigation		-			D.	, mo/day/yr sample was sub	
Ł L			was a chemica	i/bacteriological sample st	ipmitted to De	•	ter Well Disinfect			
5 TYPE C	OF BLANK C	ASING USED:	-	5 Wrought iron	8 Concre	ete tile	CASING JC	INTS: Glue	dX Clamped	
 1 Ste	el	3 RMP (S	SR)	6 Asbestos-Cement	9 Other	(specify below	v)	Weld	ed	
2 PV		4 ABS		7 Fiberglass					aded	
Blank casi	ng diameter		in. to 2	C ft., Dia	in. to	<i></i>	ft., Dia		in. to the feether fit.	
Casing hei	ght above la	and surface	j Z	in., weight		Ibs./	ft. Wall thickness	or gauge N	o % Y	
TYPE OF SCREEN OR PERFORATION MATERIAL:					7 PVC 10 Asbestos-cement			ent		
				5 Fiberglass	8 RM	P (SR)	11 Other (specify)			
2 Bra	ass	4 Galvani	ized steel	6 Concrete tile				ne used (or		
		RATION OPENII			d wrapped				11 None (open hole)	
	ntinuous slo	- T	ViilLslot∞	6 Wire w			9 Drilled holes			
	uvered shut		Key punched	7 Torch		<i>i</i> =:-				
SCHEEN-	PERFORATI	ED INTERVALS								
	PRAVEL DA	OV INTERVALO	From	1) A 11. 10	NA	θ Ero	m	ا⊕ا بییی. فافه	to`,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	SHAVEL PA	CK INTERVALS	From 💉 From	ft. to		ft., Fro		ft		
6 GBOLII	MATERIAL	: 1 Neat	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2 Cement grout	3 Bento					
Grout Inter									ft. to	
							tock pens		bandoned water well	
What is the nearest source of possible contamination: 1 Septic tank				7 Pit privy		11 Fuel	Section 1997 Control of the Control			
2 Sewer lines 5 Cess pool				· · · · · · · · · · · · · · · · · · ·			rtilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit						secticide storage				
Direction from well?							many feet? /50			
FROM	ŢO		LITHOLOGI	CLOG	FROM	TO	F	LUGGING	INTERVALS	
0	9	TOP 50.	12	<u></u>					<u> </u>	
4	17_	BRN 2 1	VH SAN	b LRG (SLAVE)				<u> </u>	· · · · · · · · · · · · · · · · · · ·	
17	30	BRN 4WI	H MED to	CRG COKAVE!						
			i i in tiène service de la company							
							and a supplement of the supple			
					4		***************************************			
			<u> </u>		-					
				THE THE STATE OF T						
			·							
				Marking manager and a second s						
									· ·	
	1						<u> </u>			
7 CONTI	BACTOR'S	OR LANDOWNE	FR'S CERTIFICA	TION: This water well wa	s (1) constri	cted (2) reci	onstructed or (3)	plugged un	der my jurisdiction and wa	
Control of the Contro	on (mo/day	Agrange .	-5-99						nowledge and belief. Kansa	
1			1 MARKS	This Water W				5-14		
	ii Contractor	5 Liverise IVO		, , , , , , , , , , , , , , , , , , ,						
l .	business na	re Waterwooms		1261116	011 1100010 111	by (signa	The same of the sa	A X	a lane	