			WAIL	R WELL RECORD	Form WWC-	5 KSA 8	32a-1212			
	OF WATER	R WELL:	Fraction			ction Numb		nber	Range Number	
	Sedgwick		NE 1/4	NW 1/4	SW 1/4	29	т 25	s	R 1 E E/W	
			or city street a	ddress of well if loca						
	E. Point			<u></u>	Val:	ley Cen	ter, Ks.			
	WELL OWNE		Nancy Wal							
R#, St. Ad	dress, Box #	: 8901 N	.E. Point	Rd.			Board of Ag	riculture, D	ivision of Water Resource	
ty, State, Z	ZIP Code	: Vallęy	Center, F	, Ks.			Application Number:			
LOCATE \ AN "X" IN	WELL'S LOC I SECTION E	ATION WITH 4 DOX:	DEPTH OF C	OMPLETED WELL.	105	ft. ELE	VATION:			
	NW	- NE Es	ELL'S STATIC/ Pump st. Yield	WATER LEVEL test data: Well w gpm: Well w		pelow land : ft	surface measured on r , after	no/day/yr hours pun hours pun	11-5-84 pping gp pping gp to	
w	X!			O BE USED AS:	5 Public wat		8 Air conditioning		njection well	
	sw	- SE	1 Domestic	3 Feedlot	6 Oil field wa	ater supply	9 Dewatering	12 C	Other (Specify below)	
[7]	. 344. —	- 1 - 1	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Observation well	1 (1)	n de tradición de la completa de la La completa de la comp	
Ĺ	i	· w	/as a chemical/b	acteriological sampl	e submitted to D	epartment?	YesNoX		mo/day/yr sample was si	
	S	m	itted				Nater Well Disinfected	? Yes	X No	
TYPE OF	BLANK CAS	ING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOIN	TS: Glued	X Clamped	
1 Steel	-	3 RMP (SR)	 .	6 Asbestos-Cemer		(specify be			d	
2 PVC		4 ABS		7 Fiberglass			rene SDR-26		ded	
ank casing	diameter	5 in.	. to 20 .	ft., Dia	in. to)	ft., Dia	ir	n, to ,	
asing heigh	nt above land	surface	. 12	in., weight $\dots 1$.	59	lb	s./ft. Wall thickness or	gauge No	203	
/PE OF SO	CREEN OR F	PERFORATION I	MATERIAL:		7 P\			stos-cemer		
1 Steel	[3 Stainless st	teel	5 Fiberglass 8 RMF			P (SR) 11 Other (specify)			
2 Bras	s	4 Galvanized	steel	6 Concrete tile	9 AE					
CREEN OF	R PERFORAT	TON OPENINGS	S ARE:	5 Ga	uzed wrapped		8 Saw cut		11 None (open hole)	
1 Cont	inuous slot	3 Mill s	slot	6 Wir	e wrapped		9 Drilled holes		, (-p,	
2 Louv	ered shutter	4 Key	punched	7 Tor	ch cut		10 Other (specify)			
GR	AVEL PACK	INTERVALS:	From	14 ft. to ft. to	1.05	ft, F	rom	ft. to		
GROUT N	NATERIAL:	1 Neat cen		2 Cement grout	3 Bente					
rout Interva				ft., From	ft.	to	ft., From		. ft. to	
hat is the	nearest sourc	e of possible co	ntamination:			10 Liv	estock pens	14 Ab	andoned water well	
1 Septic tank 4 Lateral lines			lines	7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			ool	8 Sewage lagoon			12 Fertilizer storage		ner (specify below)	
3 Watertight sewer lines 6 Seepage pit			e pit	9 Feedyard		13 Insecticide storage			e Apparent	
rection from	m well?					How r	nany feet?			
ROM	то		LITHOLOGIC	LOG	FROM	то		ITHOLOGIC	C LOG	
0	3	Topsoi	1							
3		Clay								
_11	_28	Fine S	and							
28	105		hale							
									and the second s	
										
			,		-1					
								· · · · · · · · · · · · · · · · · · ·	Andreas - Commence - Calle - Angelian - C	
		· :		<u></u>		1	· · · · · · · · · · · · · · · · · · ·		Community of the Commun	
CONTRA	OTODIO OD	LANDOVARIENTO	(Appains a	Skie week			<u> </u>		<u> </u>	
OUNTHA	OTOHS OR	LANDOWNER'S	. UEHTIFICATI Ø	ווע: Inis water well	was (1) constru	icted, (2) re ===	econstructed, or (3) plu	igged unde	er my jurisdiction and wo	
inhierea oi	i (mo/day/yea	т) <u>тт-э</u> т8	306			and this re	cord is true to the best	of my kno	wledge and belief. Kans	
ater Well (∠ontractor's L	icense No	∠20	This Water	Well Record wa		ed on (mo/day/yr) nature) Ma/ze		.02	
	siness name		ell & Pum						1 1	

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.