


1	LOCATION OF WATER WELL: Sedgwick	FRACTION NW 1/4 SE 1/4 SW 1/4	Section Number 31	Township Number T 25 S	Range Number R 1E E/W
---	--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

7100 N. Clarence Wichita, Kansas

2	WATER WELL OWNER: WILBUR, Ted	Board of Agriculture, Division of Water Resource
	RR#, ST. ADDRESS, BOX #: 7100 N. Clarence	Application Number:
	CITY, STATE, ZIP CODE: Wichita, Kansas	

3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4	DEPTH OF COMPLETED WELL 30 ft. ELEVATION: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft. ft.
		WELL'S STATIC WATER LEVEL 8 FT. BELOW LAND SURFACE MEASURED ON 04/01/1994	
		Pump test data: Well water was ft. after hours pumping gpm	
		Est. Yield gpm: Well water was ft. after hours pumping gpm	
		Bore Hole Diameter 14 in. to 30 ft. and in. to ft.	
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
		Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted	
		Water Well Disinfected? Yes <input checked="" type="checkbox"/> No	

5	TYPE OF CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (Specify below) SDR-26	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped Welded Threaded
Blank casing Diameter 5 in. to 25 ft., Dia		in. to ft., Dia	in. to ft., Dia	in. to ft.
Casing height above land surface 12 in., weight 2.35 lbs. / ft.		Wall thickness or gauge No. .214		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)				
SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)				
SCREEN-PERFORATION INTERVALS: from 25 ft. to 30 ft., From ft. to ft.				
GRAVEL PACK INTERVALS: from 24 ft. to 30 ft., From ft. to ft.				

6	GROUT MATERIAL: 1 Neat cement Grout Intervals: From 4 ft. to 24 ft. From ft. to ft.	2 Cement grout	3 Bentonite	4 Other
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandon water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage None Apparent				
Direction from well?				How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	topsoil			
2	5	sandy clay			
5	30	medium to coarse sand			

7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 04/01/1994 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 04/07/94 Under the business name of Harp Well & Pump Service, Inc by (signature) <i>Jane Frederick</i>
---	---