handa karana ana karana ana ana ana ana ana ana ana ana an			WELL RECORD F	orm WWC-	5 KSA 82a		<u>, i , </u>	<u> </u>
	WATER WELL:	Fraction SE 1/4	SE 1/4 SW	Se 1/4	ction Number 36	Township Nur	mber S	Range Number
	ection from nearest tow	vn or city street ad	dress of well if located			<u> </u>		Mw-6
O MATER WE	LOWNER: COAS		DLIDER					mu v
	A STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN THE PERSON NAMED IN THE PERSON NAMED IN					Board of An	riouttura Div	ision of Water Resource
City, State, ZIP Code : 4100H1779, KS 67214							Number:	sion of water nesource;
LOCATE WEL			,,,,,	At a	ft. ELEVA	TION: /3/5	. 24	· · · · · · · · · · · · · · · · · · ·
AN "X" IN SE	CTION BOX:	Depth(s) Groundv	ater Encountered 1	8	ft. :	2 , ,	ft. 3	9-4-92
7								
NW	/ NE							ing gpm
	1.							ing gpm
× W		WELL WATER TO		5 Public water supply 8 Air conditioning 11 Injection well				
~		1 Domestic			er supply ater supply	8 Air conditioning9 Dewatering		ner (Specify below)
SW		2 Irrigation					12 00	
	×	U-						o/day/yr sample was sub
L Communication	S	mitted	and the second s			iter Well Disinfected		No X
5 TYPE OF BL	ANK CASING USED:		5 Wrought iron	8 Conci				Clamped
1 Steel	3 RMP (SI	R)	6 Asbestos-Cement	9 Other	(specify below	w)	Welded	
2)PVC	4 ABS	<i>(</i>)	7 Fiberglass					d 📉
Blank casing dia	meter	.in. to 😕	ft., Dia	in. to	o	ft., Dia	in.	to ft.
Casing height at	ove land surface	4	in., weight 🦸			ft. Wall thickness or	r gauge No.	
	EN OR PERFORATIO			(T)P\			stos-cement	
1 Steel	3 Stainless		5 Fiberglass		MP (SR)			
2 Brass	4 Galvaniz ERFORATION OPENIN		6 Concrete tile	9 AE	38		used (open	
1 Continuo		ill slot	5 Gauzed wrapped 6 Wire wrapped			8 Saw cut9 Drilled holes	I	1 None (open hole)
2 Louvered		ey punched	7 Torch					
	DRATED INTERVALS:	From	S ft. to	18	ft Fro	m	ft. to.	ft,
		From		* * * * * * * * * * * * * * * * * * *	it., ⊢ro	m	, , , , ft. to.	<i></i>
GRAVE	EL PACK INTERVALS:	From	6 ft. to	.18	ft., Fro	m	ft. to.	
ئون <u>ن</u> ئىسىنىدىدىدىدىدىدىدىدىدىدىدىدىدىدىدىدىدىد		From	ft, to		ft., Fro	m	ft. to	tt.
6 GROUT MAT	ERIAL: Neat o	cement 2	Cement grout	- (3)Bent	onite 4	Other		ft. to
Grout Intervals:			ft., From	" ft.				
	rest source of possible		me emita			stock pens		ndoned water well
Septic ta Sewer lir	ink 4 Later		• •			uel storage 15 Oil well/Gas well		
	nes 5 Cess nt sewer lines 6 Seep	•	5			ertilizer storage 16 Other (specify below) secticide storage		
Direction from w	1 / 0 -	and the same of th				iny feet? 4077.		SITE
FROM T		LITHOLOGIC L		FROM	TO		JGGING INT	
07	DISILTY	CLAY &	SHALE					
						· · · · · · · · · · · · · · · · · · ·		
		Walkalanda and		<u> </u>				
		-111						
					-		.	A. D. W. M. D
		THE STATE OF STREET, STREET, ASSAULT A						
				<u> </u>				
			S-1				»—················	
								AND THE PROPERTY OF THE PROPER
								44.
							ANAL	C
						60	National State of the State of	102
							CARIA W. M.	CARA
7 CONTRACTO	DR'S OR LANDOWNER	R'S CERTIFICATIO	DN: This water well wa	(1) constru	ucted, (2) rec	onstructed, of (3) pl	ugged under	my jurisdiction and was
completed on (ii	iorday, your,	12,512			and this root	na is true to the bos		godge and policy. Ransas
	ractor's License No	100	This Water We	ll Record w			方程文	3 11-11
under the busine		NE, IN			by (signa	CONTRACTOR OF THE PERSON OF TH	Z. MATE	full 1
INSTRUCTIONS of Health and	 Use typewriter or ball point Environment, Bureau of Water 	pen PLEASE PRESS F., Topeka, Kansas 66620	RMLY and PRINT clearly, Plea 1-0001, Telephone: 913-296-55	ise fill in blanks i45. Send one t	, underline or circ to WATER WELL (te the correct answers. So DWNER and retain one for	end top three co	ples to Kansas Department