


1 LOCATION OF WATER WELL: Fraction NW 1/4 SW 1/4 NE 1/4 Section Number 12 Township Number T 25 S Range Number R 15 EW
 County: Woodson
 Distance and direction from nearest town or city street address of well if located within city? MW-1

2 WATER WELL OWNER: Mr. Art & Rick Cummings
 RR#, St. Address, Box #: R.R 2
 City, State, ZIP Code: Yates, Center, KS 66783
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 14' ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 9.15 ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL 9.15 ft. below land surface measured on mo/day/yr 4/30/97
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter . in. to . ft. and . in. to . ft.
 WELL WATER TO BE USED AS:
 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Monitoring well 11 Injection well 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes No X
 If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED:
 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below)
 CASING JOINTS: Glued Clamped Welded Threaded X
 Blank casing diameter 2" in. to 4' ft. Dia. in. to . ft. Dia. in. to . ft.
 Casing height above land surface 24 in. weight lbs./ft. Wall thickness or gauge No. Sch. 40
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)
 SCREEN-PERFORATED INTERVALS: From 4' ft. to 14' ft. From . ft. to . ft.
 GRAVEL PACK INTERVALS: From 3' ft. to 21' ft. From . ft. to . ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 0' ft. to 1' ft. From 1' ft. to 3' ft. From . ft. to . ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) Landfill
 Direction from well? South How many feet? 125'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	6"	Cly, v. drk. brn, org. rich w/ rootlets, v. moist	11'	16'	Sh, Lt. brn-med brn, damp-dry
6"	3'	As above, no organic material.	16'	20'	Sh, med. gry-blue, damp-dry
3'	5'	Cly, Lt. brn w/ sl. orang. tint, v. slty, v. pistc	20'	21'	Sh, Lt. gry-grn, fis dry
5'	8.5'	Cly, Lt. brn. v. slty, moist.			
8.5'	11'	LS - Lt. gry - fine grad, w/ fos.			MW-1

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/30/97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/year) 5/19/97 under the business name of KDHE by (signature) [Signature]

OFFICE USE ONLY
T
R
EW
SEC
1/4
1/4
1/4