	011051			WATER WELL REG	CORD For					T		
	ON OF WATE				e=		tion Number				ge Number	
County: Distance ar	nd direction fro	om neares	t town or city stre	y SE eet address of well	⅓ SE Lif located w	1/4 ithin city?	10	T 25	S	į R	15	E
				Turner and	Rutledge	, Yates C	enter, KS	****				
				nty Coop Atti	n: D. Loc	ke						
	ddress, Box #							Board of Agri	iculture, Div	ision of Wa	ater Resou	rces
City, State,	ZIP Code	: Yat	es Center, h	(S 66783				Application N	lumber:			
3 AN "X" I	E WELL'S LO N SECTION E	CATON W BOX:	/ITH 4 DEPTH	OF COMPLETED	WELL	13.	5 ft. ELE	VATION:	1	105.02		
	N		Depth(s) G	roundwater Encou	intered 11.5		ft	i. 2	ft.	3		Ft.
†		į	WELL'S ST	TATIC WATER LE	VEL	ft.	below land s	surface measured	on mo/day/	yr 0	1/31/12	
	NW	NE	1	Pump test data:	Well water	was	F	t. after	hours p	oumping		3pm
<u>0</u>		;	Est. Yield	Gpm:	Well water	was	F	t. after	Hours	oumping	(3nm
- ₩			E Bore Hole I	Diameter 8.62	5 In. to	13	. <u>5</u>	ft. and	ir	ı. to		Ft.
	sw	SE	1 Dor	Diameter 8.62 FER TO BE USED mestic 3 Feed to	ot 6 Oil	field water s	uppiy supply	8 Air conditie 9 Dewaterin	oning 1 a 1:	1 injection 2 Other (S	ı well Specify bel	ow)
	- J	ī	2 Irrio	ation 4 Industr	rial 7 La	wn and gard	den (domesti	c) 10 Monitorin	a well	.,	N-11	···,
† L	<u> </u>	_ ×_		nical/bacteriologic								200
	S		Submitted	cabactor.to.og.c	ar ourripio ot			ter Well Disinfect				as
5 TYPE O	F BLANK CAS	SING USE		5 Wroug	ht Iron			CASING JOI				
1 Ste	eel	3 R	MP (SR)	_			(specify belo		Weld			
2 PV		7 4 A		7 Fibergl					Threa	aded	X	
Blank casin	g diameter _	2	in. to	5 Pt.,		In. 1	io	ft., Dia		in. to	. -	ft.
Casing heig	ght above land	surface	LLUON	In., weight	50	,n 40	Lbs./ft.	. Wall thickness o	r gauge No			
_			ΠΟΝ MATERIAI		laaa	7	PVC	10 Asb	estos-ceme	ent		
1 Ste 2 Bra		3 SI	ainiess steel	5 Fibergi 6 Concre	iass ete tile	0	ABS	11 Oth 12 Nor	er (specity) ne used (one	an hole)		
		TION OPE	NINGS ARE:	0 0011010	5 Gauze	d wrapped	7,00	8 Saw cut	ie useu (opi	11 None	(open hole	e)
	ntinuous slot		3 Mill slot		6 Wire w	rapped		9 Drilled holes			` '	
			4 Key punche		7 Torch			10 Other (spec	cify)			
SCREEN-P	ERFORATED	INTERV	ALS: From	5	ft. to	13.5	ft. F	rom	ft. t	o		_ft.
			From		ft. to		ft. F	rom	ft. t	o		_Ft.
SAI	ND PACK INT	ERVALS:	From	4		13.5				o		_Ft.
			From		ft. to			rom		0		Ft.
6 GROUT	MATERIAL:	1 N	eat cement		out		tonite	4 Other				
Grout Interv	als From2	0.5	ft. to	Ft. From3	2	Ft. to	4	ft. From		ft to		ft
			ble contaminatio					tock pens		andoned w		- '''
	ptic tank		4 Lateral		7 Pit privy		11 Fuel:	storage	15 <u>Oil</u>	well/ Gas	well	
2 Se	wer lines		5 Cess po	ool loc	Sewage la	agoon	12 Fertili	zer storage	16 Oth	er (specify	/ below)	
3 Wa	atertight sewer	rlines	6 Seepag	e pit 9	9 Feedyard		13 Insec	ticide storage	Co	ntamin	ated Site	е
Direction fro	om well?	γ				T	How many	feet?				
FROM	то	CODE		THOLOGIC LOG		FROM	то	PL	UGGING IN	ITERVALS	;	
0	1		Soil									
6	6 12	-	Silty Clay Shale					· · · · · · · · · · · · · · · · · · ·	_			
12	13.5		Limestone			<u> </u>	1					
13	TD		End of Bore	hole				· · · · · · · · · · · · · · · · · · ·				
			·									
							1			· .,		
		 			· · · · · · · · · · · · · · · · · · ·							
						<u> </u>						
7 CONTRA	ACTORIO OD	LANDON	NED'S SESTIC	CATION, This	And south the	(4)) had (0) ==				1	
				CATION: This wa 11/31/12	iler well was							1
	on (mo/day/yr) Contractor o			585				rue to the best of				- 1
			. Δεεο	ciated Enviro	nmantal			cord was comple				-
INSTRI	usiness name UCTIONS:. Ple	ease fill in b	lanks and circle the	e correct answers.	Send three co	pies to Kans	B as Departmen	y (signature) B it of Health and Env	ireament B	au of Wa	e Topeka	$\overline{}$
Kansas	66620-0001.	Telephone:	913-296-5545. S	end one to WATER	WELL OWN	ER and retain	one for your	records.`	Sugale	1/0	w	