WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Divisian of Environment (Water well Cantractors) Topeka, Kansas 66620

| | County | Fraction | | tion number | Township number | Ronge number | |
|--|------------------|-------------------|-------|-------------|---|---|--|
| 1. Lacation of well: | Woodson | SE1/4 SE1/4 SE1/4 | | | T 25 S | | |
| · | | | | | r of well: LESTER GILLESPIE | | |
| Street address of well location if in city: BLOCK 19 LOT 11 112 City, state, zig code: VATEC CITY. | | | | | | | |
| THIS CENTER | | | | | | | |
| 4. Locate with "X" in section belaw: N Sketch maps | | | | _ | 6. Bore hole dia. ——— in. Well depth ———— ft. | Completion date 3/1/3/ | |
| | 1 | PEN | GKR | To € | 7XCable tool Rotary | | |
| NW NE | | | | PE | | Bored Reverse rotary | |
| | | | | re | 8. Use: Domestic Pu | blic supply Industry | |
| × i | E ! | X IT | House | s steel | _ | r conditioning Stock I field water Other | |
| | | | | LIKE | 9. Casing: Material #175 | | |
| | | | | 50' | Threaded Welded | Surfacein. | |
| | | | | | RMP PVC Dia. | | |
| 1 → 1 Mile → 1 5. Type and color of material | | | | m To | Dia in. ta ft. dept | | |
| | | | | _ | 10. Screen: Manufacturer's n | ome | |
| SOIL | | | | 5 2 | Туре | Dia | |
| Volume And D. V. | | | | 2 22 | Slot/gauze | Length | |
| YELLOWSAND ROCK | | | | — | Set betweenft. a | | |
| BW SAND ROCK | | | | 30 | Gravel pack? Size ran | nge af material | |
| YELLOW SANDROCK Sous, | | | | 0 48 | 11. Static water level:ft. below land sur | mo./day/yr. | |
| BWSAND ROCK | | | | 8 54 | 12. Pumping level below land | surfaces: | |
| BROWNISH YELLOWSAND ROCK | | | | 4 72 | 1 | rs. pumpingg.p.m. | |
| WHITE SAND ROCK | | | | 278 | Estimated maximum yield 13. Water sample submitted: | g.p.m. mo./day/yr. | |
| | | | | 8 80 | | Date | |
| C-VEY SHALE | | | | 000 | 14. Well head completion: | | |
| | | | | | Pitless adapter | Inches above grade | |
| | | | | | With: Neat cement | _ Bentonite Concrete | |
| | | | | | Depth: From | /// ft. | |
| | | | | | 16. Nearest source of possible ft | | |
| | | | | | Well disinfected upon comple | 1 | |
| | | | | | 17. Pump: | ✓ Not installed | |
| | | | + | | Manufacturer's name Model number | HP Volts | |
| | | | | | Length of drop pipe | _ ft. capacityg.p.m. | |
| | | | | | Type: Submersible | Turbine | |
| | | | | | Jet | Reciprocating | |
| 1,0 54 1 | (Use a second st | | HIE | OWN | Centrifugal | Other O | |
| //// 22/2- | | | | | 20. Water well contractor's o This well was drilled under my | | |
| PUNIP | | | | | is true to the best of my know | edge and belief. | |
| Topography: Hill | | | | | Business name | SERV 3/2 A | |
| Slope | | | | | Address ToronT | | |
| Upland Valley Valley | | | | | Signed Authorized repr | esentafive Date 5/15/8/1V | |
| variey | | | | | | | |