

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Allen</u>		<u>SE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>NW</u> $\frac{1}{4}$	<u>13</u>	T <u>25</u> S	R <u>18</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>1705 Minnesota Rd. Topeka, KS</u>					
2 WATER WELL OWNER: <u>Allen county</u> MW3					
RR#, St. Address, Box # : <u>1 North Washington</u>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code : <u>Topeka KS 66749</u>				Application Number:	
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL: <u>12</u> ft. ELEVATION:			
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered <u>1</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>3.23</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was . ft. after . hours pumping . gpm			
		Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm			
		Bore Hole Diameter. . in. to . ft., and . in. to . ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes. No. ; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued. Clamped.	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded	
Blank casing diameter in. to . ft., Dia in. to . ft., Dia in. to . ft.		7 Fiberglass		Threaded	
Casing height above land surface. in., weight lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass		7 PVC 8 RMP (SR)		10 Asbestos-cement	
2 Brass 4 Galvanized steel 6 Concrete tile		9 ABS		11 Other (specify)	
12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot		5 Gauzed wrapped 8 Saw cut		11 None (open hole)	
2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes			
		7 Torch cut 10 Other (specify) ft.			
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u>Cement</u>					
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy		10 Livestock pens 14 Abandoned water well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon		11 Fuel storage <u>(former)</u> 15 Oil well/Gas well			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		12 Fertilizer storage 16 Other (specify below)			
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Topsoil to clay, dk. brn, moist to wet			
4	6	Clay, gray brn, mottled moist			
9.5		shale weathered, very friable, Gray Brn.			
		Able to penetrate			
12		Limestone, Argal Refrual			
Flushmant Waiver by D. Taylor RECEIVED SEP 22 2004 BUREAU OF WATER					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5/18/04</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>602</u> This Water Well Record was completed on (mo/day/yr) <u>8/27/04</u> under the business name of <u>Hydrologic, Inc.</u> by (signature) <u>[Signature]</u>					