WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources App. N	O.	
1 LOCATION OF WATER WELL: County: 4 ( )	Fraction 1/45E 1/4 SW	Section Number	Township No.	Range Number R DE DW	
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here			Latitude: (in decimal degrees)  Longitude: (in decimal degrees)		
		Elevation:	Elevation:		
2 WATER WELL OWNER: Qaa	Datum: WGS 8 Collection Method:	Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Ron Senfert RR#, Street Address, Box #: 1680 Missouri Rd		GPS unit (Ma	GPS unit (Make/Model:)		
I CITY STATE / IP CODE '	KS 66749	Digital Map/P	hoto, Topograph	ic Map, ☐ Land Survey  ] 5-15 m, ☐ >15 m	
3 LOCATE WELL	Plugged				
WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered (1).196.35.2 ft. (2)					
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr					
Pump test data: Well water was ft. after hours pumping gpm					
W NW NE EST. YIELD 5 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter in. to 200 ft., and in. to ft.					
WELL WATER TO BE USED AS: ☐ Public water supply					
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
1 mile  Water well disinfected? ☐ Yes ☑ No					
5 TYPE OF CASING USED: Steel PVC Y Other H.D. Poly & thy len &					
CASING JOINTS: Glued Clamped Welded Threaded Fusion  Casing diameter					
Casing height asset land surface in., Weight S.D.R. II lbs./ft., Wall thickness or gauge No I. 6.0. I. 24					
TYPE OF SCREEN OR PERFORATION MATERIAL NOACE Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: No re Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From 200 ft. to ft., From ft. to ft., From ft. to ft. to ft. to ft.					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well					
Direction from well					
FROM TO LITHOLO		TO LITHO. I	OG (cont.) or PL	UGGING INTERVALS	
0 8 Soil+clay (160-196 Sandy lime 8 12 lime 196-200 lime (Sultibute)					
12 19 Shale	16-400 lives Contracts	7			
19 57 line			<i>/</i>	f 14.6	
57 86 Shale 86 74 line 94 134 Shale	200	3 4.200	Bores ply	gged with	
86 94 line 94 134 Shale			gh solid	- ADGULOVITE	
134 139 Bardstone					
139 154 Shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\infty\) constructed, \(\sigma\) reconstructed, or \(\infty\) plugged					
under my jurisdiction and was completed on (mo/day/year) 8/9/12					
Kansas Water Well Contractor's License No					
under the business name of Evans Energy Dew Inc. by (signature) in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212					