

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Allen</u>	<u>NE 1/4 SW 1/4 NE 1/4</u>	<u>2</u>	T <u>25</u> S	R <u>19E</u> E/W

Distance and direction from nearest town or city street address of well if located within city?

Approximately one mile SE of Lathrop, KS on Allen County Landfill Property

2 WATER WELL OWNER:	RR#, St. Address, Box #	City, State, ZIP Code	Board of Agriculture, Division of Water Resources
<u>Bill King</u>	<u>Allen County Courthouse IN. Washington</u>	<u>Iola, KS 66749</u>	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ELEVATION:
	<u>63</u> ft.	<u>1019</u> ft.

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
		7 Domestic (lawn & garden)	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	7 Fiberglass		Threaded
3 RMP (SR)			
4 ABS			
Blank casing diameter <u>2</u> in. to <u>5.3</u> ft., Dia			
Casing height above land surface <u>29"</u> in., weight			
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Guazed wrapped	8 Saw cut	11 None (open hole)
1 Steel	6 Wire wrapped	9 Drilled holes	
2 Brass	7 Torch cut	10 Other (specify)	
3 Stainless Steel			
4 Galvanized Steel			
5 Fiberglass			
6 Concrete tile			
8 RMP (SR)			
9 ABS			
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot			
2 Louvered shutter			
3 Mill slot			
4 Key punched			
SCREEN-PERFORATED INTERVALS:			
From <u>63</u> ft. to <u>53</u> ft.			
GRAVEL PACK INTERVALS:			
From <u>63</u> ft. to <u>50</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>50</u> ft. to <u>3</u> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	<u>Landfill</u>
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>25</u>	<u>Tan L.S.</u>			
<u>25</u>	<u>45</u>	<u>Gray Shale</u>			
<u>45</u>	<u>45P</u>	<u>Coal</u>			
<u>45.8</u>	<u>55</u>	<u>Gray Shale</u>			
<u>55</u>	<u>63</u>	<u>Tan L.S.</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-17-05</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>704</u> This Water Well Record was completed on (mo/day/yr) <u>3-17-05</u> under the business name of <u>Ma KS</u> by (signature) <u>David Humpal</u>
--