

1 LOCATION OF WATER WELL: County: ALLEN		Fraction SW 1/4 NE 1/4 NE 1/4	Section Number 2	Township Number T 25 S	Range Number R 19 E X
Distance and direction from nearest town or city street address of well if located within city? One mile southeast of LaHarpe, KS 66749					
2 WATER WELL OWNER: Allen County Landfill					
RR#, St. Address, Box #: c/o Allen County Dir. of Public Works, 1 N. Washington					
City, State, ZIP Code: Iola, KS 66749					
Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 26' ft. ELEVATION: 1003.2 (G.S.) 1005.55 (TOL)			
		Depth(s) Groundwater Encountered 1. 32? ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 5.95 ft. below land surface measured on mo/day/yr 3/18/97			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 6 1/4 in. to 36 in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well MW-9			
		Was a chemical/bacteriological sample submitted to Department? Yes No? If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
7 Fiberglass Threaded					
Blank casing diameter 2 in. to 26 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 28.2 in. weight lbs./ft. Wall thickness or gauge No. schedule 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)					
12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
7 Torch cut 10 Other (specify) 0 10					
SCREEN-PERFORATED INTERVALS: From 36 ft. to 26 ft. From ft. to ft.					
From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 36 ft. to 23 ft. From ft. to ft.					
From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL:					
1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 23 ft. to 1 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
Landfill					
Direction from well? How many feet? 600 ft					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3 1/2	Tan L.S.			
5	14	Gray Shale			
14	20	Gray Shale w/ L.S. layers			
20	24	Gray Shale			
24	33	lt Gray L.S.			
33	40	Gray Shale			
MW # - 9					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-23-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 568 This Water Well Record was completed on (mo/day/yr) 2-23-97 under the business name of Max's by (signature) David Henry Ch					