		R WELL RECORD	orm WWC-5			
LOCATION OF WATER WELL:	Fraction 1/2	NW Wh	9	tion Number	Township Number	Range Number
County: アログルルル Distance and direction from nearest to		r /++		<i>J</i>	т 25 s	LR CEW
Distance and direction from flearest to	will of only shock to		within Oity:			P97-1
WATER WELL OWNER: Coting	of Wichi	ta				
nn#. 31. Muuless. Dox # .	•	~ ~			Board of Agriculture,	Division of Water Resources
City, State, ZIP Code : Wichita, Ks			Application Number:			
LOCATE WELL'S LOCATION WITH	14 DEPTH OF C	COMPLETED WELL	H1.5	ft. ELEVAT	TON:	
AN "X" IN SECTION BOX:	Depth(s) Ground	dwater Encountered 1.	> 3.6>	ft. 2	ft. ace measured on mo/day/y	3
ā ×!!!	WELL'S STATIC	WATER LEVEL	6:18 ft. b	elow land surf	ace measured on mo/day/y	r 0 f. 2-9 f. T. 1
NW NE	1	•			•	umping gpm
						umping gpm
E M management programme (m)	t I					n. to
_	1 Domestic		5 Public wate	,	·	Injection well
	2 Irrigation	4 Industrial	lawn and c	er supply	9 Dewatering 12 0) Monitoring well	: Other (Specify below)
	1			- Carrier Company	······································	s, mo/day/yr sample was sub
The state of the s	mitted	outerone groun our pro-or	201111100 10 10 1	-	er Well Disinfected? Yes	NoX
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concre			ed Clamped
1 Steel 3 RMP (	SR)	6 Asbestos-Cement	9 Other	(specify below	) Wel	ded
(2)PVC 4 ABS	77 1 C	7 Fiberglass			Thre	eaded
Blank casing diameter	in_ to ? .!! 🖹	ک ft., Dia , . ,	, in. to		ft., Dia	. in. to ft.
		in., weight			t. Wall thickness or gauge	No
TYPE OF SCREEN OR PERFORATION			(7)PV		10 Asbestos-cen	
1 Steel 3 Stainle		5 Fiberglass	8 HM 9 AB	IP (SR)	, ,	/)
2 Brass 4 Galvan SCREEN OR PERFORATION OPENI	nized steel	6 Concrete tile	d wrapped	<b>ა</b>	12 None used (c 8 Saw cut	11 None (open hole)
1 km/	Mill slot	6 Wire v	• •		9 Drilled holes	11 None (open note)
The state of the s	Key punched	7 Torch	• •			
SCREEN-PERFORATED INTERVALS	S: From			ft., Fron		toft.
	From,	ft. to	المستعدد والوادات	ft., Fron	n ft.	toft.
GRAVEL PACK INTERVALS	S: From	ft. to	41.5.	ft., Fron	n	toft.
	From	ft. to		ft., Fron		to ft.
		(2)Cement grout	(3) Bento	nite 7 94	Other	
Grout Intervals: From		ft., From	ft.			
What is the nearest source of possible 1 Septic tank 4 Late	e contamination: eral lines	7 Dit priva		10 Livest	•	Abandoned water well Oil well/Gas well
•		• •	7 Pit privy 8 Sewage lagoon		11 Fuel storage 15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below)	
	2 Sewer lines 5 Cess pool 8 Sewage 3 Watertight sewer lines 6 Seepage pit 9 Feedyard		OH	13 Insecticide storage		(apcony below)
Direction from well?	farm the			How mar	•	
FROM TO 4,	LITHOLOGIC		FROM	то		INTERVALS
0 7.5 Clarx	- W SUX-					
7.5 10 Clark		WE STANDARD IN SECURITION OF S			2012/2017/00/00/00/00/00/00/00/00/00/00/00/00/00	
10 27.5 Clay	my selt	W00000000				
27.5 41 Shall					BUT BEFORE THE RESIDENCE AND THE RESIDENCE OF THE PARTY O	
					11 11 A 17 (1901 A 10 A)	And the second s
		79A/A			A-1-49-1-1	
						100000000000000000000000000000000000000
				The second second of the second secon		
					POWER AND PROPERTY AND ADMINISTRATION OF THE PARTY OF THE	
7 CONTRACTOR'S OR LANDOWN	er's certificat	FION/ This water well wa	s (1) constru	cted, (2) reco	nstructed, or (3) plugged u	nder my jurisdiction and was
completed on (mo/day/year)	5818/2	?}/.7./		and this reco	d is true to the best of my	powjedge and belief. Kansa
		. This Water W	ell Record wa	=		nailte or
	X	when Co		by (signat		MITCHALL
INSTRUCTIONS: Use typewriter or ball point of Health and Environment, Bureau of Wat						