		WA	ATER WELL RECO	ORD F	orm WWC-5	KSA 82a-	1212 ID I	No35	03		
1 LOCATION OF WATER WELL: Fraction County: SEDGWICK				Sul	5W		ction Number		nip Number	Range Number	
County: Distance a			wn or city street a	ddress of					95 s	R Q DW	
APPROX 3 mi SE of Furley, KS											
2 WATER WELL OWNER: Chemical Waste Management  RR#. St. Address. Box # : 8808 N. 127th St East  Board of Agriculture Division of Water Resources											
City, State, ZIP Code: Valley Center, KS 67147 Application Number:											
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 8/2 ft. ELEVATION: 337.6 g.S. ft. 2											
AN X II	N		WELL'S STATIC	WATER L	EVEL9	مft. bel	ow land surfa	π. 2 ice measured o	π. ε n mo/day/yr	13/07	
	i /		Pum	np test data	a: Well wate	r was	ft.	after	hours p	oumping gpm	
	-NW	- NE	WELL WATER 1			Public water		8 Air condition		oumping gpm njection well	
w	;	<u> </u>             -	<ol> <li>Domestic</li> <li>Irrigation</li> </ol>	3 Fee 4 Indi		Oil field wate		9 Dewatering		Other (Specify below)	
VV	1		2 imgallon	4 11100	ustriai 7	Domestic (lav	wii a garden)	10 Worldoning	weii		
	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was										
mitted   Water Well Disinfected? Yes   No											
E TYPE	S S S	ACINO LICED.		5 M/	- A !	0.0	-1 - 411 -	04000	N IONITO OI		
1 Stee		:ASING USED: 3 RMP (SI	R)	5 Wrough 6 Asbest	os-Cement	8 Concre 9 Other	ete tile (specify belov		CASING JOINTS: Glued Clamped		
2 PVC 4 ABS				7 Fibergla					. Thre	eaded.)	
										in. toft.	
Casing height above land surfacein., weight lbs./ft. Wall thickness or guage No <b>\$\frac{10}{20}\$</b> TYPE OF SCREEN OR PERFORATION MATERIAL: \(\frac{7}{20}\)  10 Asbestos-Cement											
1 Stee	el	3 Stainless	s Steel	5 Fibergl		8 RM	8 RMP (SR)		11 Other (Specify)		
2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 Saw cut 11 None (open hole)  1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes											
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From											
From											
			From		ft. to		ft., Fron	n	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From											
_		urce of possible	contamination:				10 Lives	stock pens	14 /	Abandoned water well	
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool				7 Pit privy			11 Fuel	3		Dil well/Gas well	
3 Watertight sewer lines 6 Seepage pit				8 Sewage lagoor 9 Feedyard			12 Fertilizer storage 13 Insecticide storage 14 Cluse haz waste fullty				
Direction fro	-				, , , , , , , , , , , , , , , , , , , ,			ny feet?		2000ft	
FROM	ТО		LITHOLOGIC			FROM	то		PLUGGING IN		
O	1		oil, durk								
	8/2	CLAY,	yellowish	Orowi	1, With						
	_	str	the and	gypsu	<i>N</i> 71						
81/2	15	CLAY,	yellowish	brow	'n						
15	18	CLAY'	SHAE, Oli	ve gra	Ψ						
					****						
7 CONTRA	ACTOR'S O	R LANDOWNE	R'S CERTIFICAT	ION: This	water well wa	as (1) constru	ucted, (2) red	constructed, or	(3) plugaed und	der my jurisdiction and was	
completed o	on (mo/day/ye	ear)	43/01			(., -3	and this re	ecord is true to t	he best of my k	nowledge and belief. Kansas	
Water Well (	Contractor's	Licence No		700	This Water	Well Record	was complete	ed on (mo/day/y	/r)	1.6.16.7	
UNDER											
and Enviror	nment Bureau a	f Water Goology Co.	otion 1000 CW lookes		O Topoko Konso			EEOO Condons 1	end top three cooles	Mokansas Department of Health	

records. Fee of \$5.00 for each constructed well.