WAT	WATER WELL RECORD Form WWC-5					KSA 82a-1212 ID No. BIP - 25					
1 LOCATION OF WATER WELL:	Fraction			Sec	tion Number	Townshi	o Number		Number		
County: Sedgwick	SW 14		SW 14		23	<u> </u>	5 s	R 2	EDV		
Distance and direction from nearest town		dress of wel	ا if located w	vithin city?							
2 WATER WELL OWNER: Chemic		Mana	gentent								
RR#, St. Address, Box # : 980%	N 127th S	the East					f Agriculture, ion Number:	Division of Wat	er Resources		
2 LOCATE WELL'S LOCATION WITH	DEPTH OF CC	MPLETED	WELL	8'.5 bas	ft. ELEV						
AN "X" IN SECTION BOX:	Depth(s) Ground	water Encou	untered 1	\$	[.]	ft. 2	ft.	3	ft.		
N WELL'S STATIC WATER LEVEL											
Est. Yield gpm: Well water was ft. after hours pumping gpm											
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 1 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)											
W I E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well											
SW SE Was a chemical/hacteriological sample submitted to Department? Ves NoX : If was mo/day/was sample was sub-											
vas a chemical bacteriological sample submitted to Department: 1es In yes, morday/yis sample bas sub-									nole was sub-		
					•	Tator Tron Blom	00.00. 700				
5 TYPE OF BLANK CASING USED:		5 Wrought i	ron	8 Concre	te tile	CASING	JOINTS: Glu	ed Clar	nped		
1 Steel 3 RMP (SR	,	6 Asbestos		,	specify belo	,	We	lded			
Blank casing diameter	in to	7 Fiberglass !のら	ft Dia		in to	ft	Dia	eadedin to	ft		
Casing height above land surface	23	in., weigl	ht Sch	ब ५०	III. 10	lbs./ft. Wall thic	ckness or gua	age No			
TYPE OF SCREEN OR PERFORATION	N MATERIAL:			ZPV	\odot	10	Asbestos-Ce	ment			
1 Steel 3 Stainless 2 Brass 4 Galvanizo		5 Fiberglass6 Concrete		8 RM 9 AB	IP (SR) S		Other (Speci None used (ty) nen hole)			
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 Saw cut 11 None (open hole)								nen hole)			
1 Continuous slot Mill slot 6 Wire wrap						9 Drilled ho			,		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)ft.											
SCREEN-PERFORATED INTERVALS: From 10.5 ft. to 18.0 ft., From ft. from ft. to ft. GRAVEL PACK INTERVALS: From \$1.0 ft. to 18.5 ft., From ft. to ft.								ft.			
GRAVEL PACK INTERVALS:	From8.	,0	ft. to	8.5	ft., Fror	n	11. ft. 1	to	ft.		
	From		ft. to		ft., Fror	m	ft.	to	ft.		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From	ft. to	ft., Fr	om	ft. t	0	ft., From .		ft. to	ft.		
What is the nearest source of possible						stock pens		Abandoned wa			
1 Septic tank 4 Laters 2 Sewer lines 5 Cess			7 Pit privy8 Sewage la	agoon		l storage ilizer storage		Oil well/Gas w Other (specify			
3 Watertight sewer lines 6 Seep	•		9 Feedyard	-		ecticide storage		sed Haz	waste		
Direction from well?					How ma	any feet?	Facility	~ 2000	St		
FROM TO	LITHOLOGIC	LOG		FROM	то		PLUGGING	INTERVALS			
OII	011,								W		
10 Brown	CrayCla	<u> </u>	and a								
17 18.5 EVAY C	Clay Shall	le le									
10	770-										
12											
		*****						741-5			
7 CONTRACTOR'S OR LANDOWNE	D'S CEDTIEICAT	ION: This	eter well wa	e (1) fonder	(2) ro	constructed or	(3) plugged :	nder my juried	iction and was		
completed on (molday/year) 4-7	-07				and this	record is true to t	ha hast of my				
Water Well Contractor's Licence No	704		This Water	Well Record	was comple	ted on (mo/day/y	(r) J8	9-071			
under the business name of Aquat						y (signature)	MILL	ULL_			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.											