		WA'	-5 KSA 82a-	KSA 82a-1212 ID No. BIP-ZLe									
	ON OF WAT	ER WELL:	Fraction	Cr 1	0	-	ction Numbe	r Town	nship Numbe		ange Nun	_	
	edgase		yn or city street a	address of	well if locat	ved within city?	23	T	25	S   R		<b>D</b> W	
Appl		3 mil	, <u>s</u> 58	of		KS							
		IER: Chomic		Man	agener		****						
	Idress, Box #			st. Eas						ure, Division o	Water R	lesources	
City, State,		: Valley	Center,			18.5 has	# ELEV		lication Num	ber:			
	WELL'S LO	CATION WITH				1 9	II. ELEV	.ft. 2		ft. 3		ft.	
	N		Depth(s) Grour WELL'S STATIO	C WATER I	LEVEL 2	5,34ft. be	ow land surfa	ace measured	d on mo/day/	yr le-le-t	·Z		
	1 /	i				ater was ater was							
	-NW   -	- NE	WELL WATER	TO BE US	ED AS:	5 Public water	supply	8 Air cond	ditioning 🕻	11 Injection v	vell >	-	
w	<u> </u>	<u> </u>	1 Domestic 2 Irrigation		ealot Iustrial	<ul><li>6 Oil field wate</li><li>7 Domestic (la</li></ul>		<ol> <li>9 Dewate</li> <li>10 Monitor</li> </ol>		12 Other (Sp			
	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was									was sub-			
1	M. G	-	mitted				,	Water Well Di	sinfected? Y	es	No	ソ	
5 TYPE C	S	ASING USED:	17 76 7	5 M/m		0.0		040	NO IOINTO	. 01	01	-d	
1 Stee	ASING USED: 3 RMP (SF	R)	5 Wrought iron 8 Conce 6 Asbestos-Cement 9 Other			ete tile CASING JOIN (specify below)			TS: Glued Clamped				
PVC 4 ABS Blank casing diameterin.				7 Fibergl	lass			······	<	Threaded			
			in. to	ح.نا	ft., Dia	hd 40	in. to		ft., Dia	i	n. to	ft.	
		no surrace PERFORATIO	. <b>ZO</b> ON MATERIAL:	in., we	eignt	F	7Ĉ)	ids./π. vvaii	10 Asbesto		•••••		
1 Stee	3 Stainless	5 Fiberg		8 R	MP (SR)		11 Other (S	Other (Specify)					
2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)													
	ATION OPENIN		5 Guazed wrapped 6 Wire wrapped			8 Saw c 9 Drillec	11 Nor	11 None (open hole)					
1 Continuous slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)ft.													
SCREEN-PERFORATED INTERVALS: From 10.5 ft. to 18.0 ft., From ft. to ft.												ft.	
,	BRAVEL PAG	CK INTERVALS	From	8,0	ft. to	19.5	ft., Fro	om		ft. to ft. to		ft.	
	31 5 TV == 1 7 TV	J. ( 11 ( ) ( ) ( ) ( )	From		ft. to		ft., Fro	m		ft. to		ft.	
6 GROU	T MATERIA	I· 1 Nea	t cement	2 Cem	nent grout	(3 Ber	ntonite	4 Other					
Grout Inter		_	ft. to	_									
What is the	urce of possible					10 Livestock pens			14 Abandoned water well				
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit					<ul><li>8 Sewage lagoon</li><li>9 Feedyard</li></ul>			12 Fertilizer storage 13 Insecticide storage			Closed Haz Wash		
Direction from well?					o i codyala			How many feet?			41.1 ~ 2000 Ft		
FROM	TO		LITHOLOGIC	C LOG		FROM	TO		PLUGGI	NG INTERVAL			
<b>D</b>		TOPS	61/,				-,						
1/2	10	Brown	clay	1.									
10	185	Grown	- Colory C	lay No									
11		Gray	ray j 5° il	41.									
	<i>1D</i>		-										
			P-0							·····			
					***************************************								
		***************************************								<del></del>			
			1700										
7 CONTR	ACTORIO O	D I ANDOMAS	DIS CERTIFIC:	TION: Thi		II	Tuesta d'On		A# (0) #1::=		الده الده الده		
	on (mo/dav/v	ear)ear)	ER'S CERTIFICA -07			ll was (1) const							
Water Well	Contractor's	Licence No	704							1-9-07			
	usiness nam							y (signature)	Wh	MILI	/		
and Enviro	nment, Bureau o		en. <i>PLEASE PRESS (</i> ection, 1000 SW Jacks I.										