VATER WELL REC	CORD AZOS	K Form WWC	-5	Division of Wat	er Resources; App. No.	
County: Section OF WA	CK .	NE 1/4 SW1/4 S	W1/4	Section Number 2.10	Township Number T 25 S	Range Number R 2 EW
Distance and direction	from nearest town or	city street address of w	ell if G	lobal Positioning	g Systems (decimal degr	rees, min. of 4 digits)
located within city?	miles SEO	f Furley Ks	<u>`</u>]	Latitude:		
2 WATER WELL OV	NER: NIES	12th St Eas		Elevation:		,
RR#, St. Address, Bo	X# : 8808 N	12th St Eas	st	Datum:		
City, State, ZIP Code	: Valla C	maler KI 107	147	Data Collection	Method:	
3 LOCATE WELL'S	4 DEPTH OF CO	MPLETED WELL	3			
LOCATION		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			•	
WITH AN "X" IN	Depth(s) Groundwar	ter Encountered (1).		ft. (2)	ft. (3)	ft.
SECTION BOX:	WELL'S STATIC V	VATER LEVEL3	3 ft. t	pelow land surface	e measured on mo/day/	/yr
N		ata: Well water was				
	Est. Yieldg	pm: Well water was		.ft. after	hours pumping	gpm
NW NE	WELL WATER TO	BE USED AS: 5 Pub	lic water si	upply 8 Air	conditioning 11 Inje	ection well
w E	1 Domestic 3 F	feedlot 6 Oil field	l water sup	pply 9 Dev	watering 12 Oth	ner (Specify below
	2 Irrigation 4 I	ndustrial 7 Domest	ic (lawn &	garden) 10 Mo	nitoring well	
SW SE	,				~	
	Was a chemical/bac	teriological sample sub	mitted to D	epartment? Yes	No;	If yes, mo/day/yrs
	Sample was submitt	ed	Water	well disinfected?	Yes No	S
S						
TYPE OF CASING U	SED: 5 Wrough	ht Iron 8 Con	crete tile	CASIN	G JOINTS: Glued	Clamped
	P (SR) 6 Asbest	os-Cement 9 Othe	r (specify l	below)		
2)PVC 4 ABS	7 Fibergl	ass			Threaded	. ,X
Blank casing diameter	in. to	5.1. Diameter	in	ı. to ft.	, Diameter	in. toft.
Casing height above land	surface	Weight	11	os./ft. Wall thi	ickness or guage No	5ch 40
TYPE OF SCREEN OR I		TERIAL:				
				BS		
		oncrete tile 8 RM (SI	R) 10 A	sbestos-Cement	12 None used (open	hole)
SCREEN OR PERFORA						
		Gauzed wrapped 7				
2 Louvered shutter SCREEN-PERFORATEI	4 Key punched o	wire wrapped 8		Other (specif	(y)	
SCREEN-FERFORATE	JINIEKVALS, FIOI	m ft to		f From	ft to	
GRAVEL PACK	INTEDVALS: From	mft. to m13ft. to	38.	ft From	ft to	
ORAVELTACI		m ft. to				
	1101	-		10., 1 10		
GROUT MATERIAL	: 1 Neat cement	2 Cement grout (3)86	entonite	4 Other		
Grout Intervals: Fro	om U ft. to .	ft., From	f	ît. to	ft., From	ft. toft
What is the nearest sourc	e of possible contamin	nation:				
1 Septic tank	4 Lateral line	s 7 Pit privy	10 Livesto	ck pens 13 In	secticide storage	16 Other (specify
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel sto	orage 13 A	bandoned water well	below)
3 Watertight sewer			12 Fertilize	er storage 15 Q	il well/gas well .	
Direction from well?	actheast		How many	feet?	t approx	
ROM TO	LITHOLOG	GIC LOG	FROM	TO	PLUGGING INT	ERVALS
0 365 Br	own claw t	o weathered				
	w + shale					
	1	Live side .				
	. 1 - 2	* (A)				
	The state of the s					

		Maria				
				1		
1110	11 11 120	IRR (Was	A29	4	· · · · · · · · · · · · · · · · · · ·	
CONTRACTOR'S	R LANDOWNED'S	CERTIFICATION 1			tructed Oreconstruct	ed or (3) plugged
CONTRACTOR'S On the contract of the contract o	was completed on (n	no/day/year) KIH/2	and	this record is true	to the best of my know	vledge and helief
Kansas Water Well Cont	ractor's License No	This Wester	r Well Dec	ord was complete	d on (molday/year)	KIZWIDK
ansas water well Cont ander the business name			h.	(signature)	lan (mo/day/year)	4 ~~ 1.7.0
INSTRUCTIONS: Use typev	vriter or hall noint pen Pl	LEASE PRESS FIRMLY and				
three copies to Kansas Departn	nent of Health and Environ	ment, Bureau of Water, Geol	ogy Section,	1000 SW Jackson St.	, Suite 420, Topeka, Kansas	66612-1367. Telephor
		WNER and retain one f	or your rec	cords. Fee of \$5	5.00 for each constructed	d well. Visit us
ttp://www.kdheks.gov/waterw	en/index.ntml.					