CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Sedawick Location changed to:
Section-Township-Range: 26-255-2 E/W	26-255 = 2E
Fraction (1/4 1/4 1/4):	NW NW NE SW
Other changes: Initial statements:	,
Changed to:	
Comments:	
verification method: Latitude & longitude &	KGS "LEO" conversion took
verification method: Latitude & longitude & written description, and mappine	g tool on KGS website.
	initials: DR date: 1/16/2012

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

Bore Hole Diameter 13 in. to 40 ft. and 8 in. to 52 ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X		WATE	ER WELL REC	CORD Form	WWC-5	KSA 82a-12	212 ID N	10				
Sedgwick NW SE SW 26 T 25 S R 2 EW Extense and direction from nearest town or lay shorted address of well if located widthin city?					1	on Number	Towr	ship Number	r R	Range Number		
Salance and direction from housest lown or only street address of wall if located within chily?	county: Sedgwick	NW 1/4	SE	1/4 SW	1/4	26	Т	25 §	S R	2	E/W	
WATER WELL CANDER: Chemical Waste Management, Inc.	istance and direction from nearest to	wn or city street ad	dress of well	I if located with	nin city?			-				
As Stank Audroses, Book # 1800 8 N. 127" E. Stank Audroses, Book # 1800 8 N. 127" E. Stank Audroses Book # 1800 8 N.		-!! \8/ ##		ma Inc								
Ny, Sate, Jer Code Valley Center, KS 67147 OpenHor CoMPILETED WELL 52 ft. ELEVATION: 1384.45 (TOC) OpenHors Groundwater Encountered 1	WATER WELL OWNER: Chem	iicai Waste M	anageme	ent, inc.	•				m: : :	Mateu De		
CONTENTION BOX	RR#, St. Address, Box # : 8808	N. 12/" E.	^74 A7					•		water He	sources	
Type OF BLANK CASING USED: 5 Wought Iron 8 Control blow Water Was Inc. after house pumping gpm Bote Hold Dameter 13 in. to 52 m. to 10 m. to 52 m	City, State, ZIP Code : Valley	/ Center, KS	0/14/				Applica	ation inumber	•			
Depth(s) Groundwater Encountered 1 t. 2 t. 1 t. 2 t. 1 t. 2 t. 2 t. 1 t. 2 t. 2	AN "X" IN SECTION BOX:	I DEFINOR	COMPLETED) WELL	52	ft. ELEV	/ATION:	1	384.45 (TOC)		
Pump test data: Well water was to the art of the property of t		Depth(s) Ground	dwater Encou	untered 1		ft.	. 2		ft. 3		ft.	
Pump test data: Well water was to the art of the property of t	NVNE	WELL'S STATIC	WATER LE	VEL	ft. I	below land s	urface me	asured on mo	o/day/yr			
Best Help Dameter 13 in to 40 ft. and 8 in to 52 ft. Help See Help Dameter 13 in to 40 ft. and 8 in to 52 ft. Help See Help Dameter 13 in to 40 ft. and 8 in to 52 ft. Help See Help Dameter 13 ft. Dameter 14 ft. Dameter 13 ft. Dameter 14 ft. Dameter 15 ft. Dameter 14 ft. Dameter 15 ft. Damet		Pum	p test data:	Well water w	as	f	t. after	ho	ours pumpin	g	gpm	
Bore Hole Diameter 13 in. to 40 ft. and 8 in. to 52 ft. Well LWATER TO BELISED 35 F Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed to 6 Oil field water supply 9 Dewatering 12 Other (Speedly below) 1 Domestic 3 Feed to 6 Oil field water supply 9 Dewatering 12 Other (Speedly below) 1 Domestic 3 Feed to 6 Oil field water supply 8 Air conditioning 12 Other (Speedly below) 1 Domestic 3 Feed to 6 Oil field water supply 8 Dewatering 12 Other (Speedly below) 1 Domestic 3 Feed to 7 Levn and particle (Constitution) 1 Levn and particle (Constitution) 2 Downstering 12 Other (Speedly below) 1 Downstering 12 Other (Speedly below) 1 Downstering 12 Other (Speedly below) 1 State 3 RIMP (SR) 6 Assessios-Cement 9 Other (speedly below) Welded 7 Downstering diameter 10 in. to 40 ft. p. bia 4 in. to 46.4 ft. p. bia 1 Threaded Flush 1 Downstering diameter 10 in. to 40 ft. p. bia 4 in. to 46.4 ft. p. bia 1 in. to 40 ft. p. bia 4 in. to 46.4 ft. p. bia 1 in. to 40 ft. p. bia 4 in. to 46.4 ft. p. bia 1 in. to 40 ft. p. bia 4 in. to 46.4 ft. p. bia 1 in. to 40 ft. p. bia 4 in. to 46.4 ft. p. bia 1 in. to 40 ft. p. bia 4 in. to 46.4 ft. p. bia 1 in. to 40 ft. p. bia 4 in. to 46.4 ft. bia 5 in. to 40 ft. p. bia 4 in. to 46.4 ft. bia 5 in. to 40 ft. p. bia 4 in. bi	© W F	E Est Vield	anm:	Well water w	as	f	t. after	ho	ours pumpin	g	gpm	
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, moldarlying sample was submitted in Department? Yes No X If yes, moldarlying sample was waterial submitted. Water Well Districted? Yes No X No X If yes, moldarlying sample was waterial submitted. See the property of the pr	- X	Bore Hole Diam	eter 13	in. to	40)	ft. and	8	in. to	52	ft.	
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, moldarlying sample was submitted in Department? Yes No X If yes, moldarlying sample was waterial submitted. Water Well Districted? Yes No X No X If yes, moldarlying sample was waterial submitted. See the property of the pr	sw se	WELL WATER	TO BE USED	DAS: 5 Pub	lic water su	apply	8 Air	conditioning	11 Injec	ction well or (Specify	polow)	
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, moldarlying sample was submitted in Department? Yes No X If yes, moldarlying sample was waterial submitted. Water Well Districted? Yes No X No X If yes, moldarlying sample was waterial submitted. See the property of the pr		1 Domesti	c 3 Feed	lot 6 Oll 1	iela water s	supply	9 Dev	vatering	12 000	er (Specify	Delow)	
Was a chemical/bacteriological sample submitted to Department? Yes No X TryPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Steel 3 RIMP (SR) 6 Asbestos-Cement 9 Other (specify below) Threaded Flush Steel 3 RIMP (SR) 6 Asbestos-Cement 9 Other (specify below) Threaded Flush Steel 4 River Casing diameter 10 in to 40 ft. Dia 4 in to 46.4 ft. Dia in the form of the 46.4 ft. Dia in	V	,			-		Statement of the last of the l	The state of the s	- SECONDARY			
TYPE OF BLANK CASING USED: 1 Steel 3 RIMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel 1 RIMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel 1 RIMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel 1 RIMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel 1 RIMP (SR) 7 Fiberglass 8 RIMP (SR) 1 In to 46.4 In, Dia in, to In, In, to In, to In, In, to In, In, to In, In, to In,	G	Was a chemical	l/bacteriologi	cal sample sul	omitted to D						1	
1 Steel 2 PVC 4 ABS 7 Fiberglass Tank casing diameter 10 in. to 40 ft. Dia 4 in. to 46.4 ft. Dia in. to 40 ft. Dia 4 in. to 46.4 ft. Dia in. to 40 ft. Dia 4 in. to 46.4 ft. Dia in. to 52 ft. From 5 ft. to 50 ft. From 5												
2 PVC	TYPE OF BLANK CASING USED:							NG JOINTS:		Clamp	ed	
Service Serv	1 Steel 3 RMF	? (SR)	6 Asbes	stos-Cement	9 Other	(specify belo	ow)	r			- L	
rasing height above land surface 30 in., weight 0.703 ibs.ft. Wall thickness or gauge No. SCR. 40 years of PPEO F SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 ABS 12 None used (open hole) 1 Continuous slot 3 Mill slot 7 Torch cut 10 Other (specify) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 2 Concrete None PERFORATION DEPINIOS ARE: 5 Gauzed wrapped 9 Dirilled holes 2 Couvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 3 Mill slot 6 Wire wrapped 9 Dirilled holes 2 Concrete tile 9 Dirilled holes 3 CREEN-PERFORATED INTERVALS: From 46.4 ft. to 51.4 (4") ft. From ft. to ft. From								-	Threaded	rlu	au	
rasing height above land surface 30 in., weight 0.703 ibs.ft. Wall thickness or gauge No. SCR. 40 years of PPEO F SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 ABS 12 None used (open hole) 1 Continuous slot 3 Mill slot 7 Torch cut 10 Other (specify) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 2 Concrete None PERFORATION DEPINIOS ARE: 5 Gauzed wrapped 9 Dirilled holes 2 Couvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 3 Mill slot 6 Wire wrapped 9 Dirilled holes 2 Concrete tile 9 Dirilled holes 3 CREEN-PERFORATED INTERVALS: From 46.4 ft. to 51.4 (4") ft. From ft. to ft. From	Blank casing diameter 10	in. to 40	0 ft., C	Dia 4	in. t	o 46.4	ft., Dia		in. to		ft.	
YPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 1 Continuous siot 2 Mills steel 7 Torch cut 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 3 Mill stot 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 46.4 ft. to 51.4 (4") ft. From ft. to 51.4 (4") From ft. to 51.4 (4") ft. From ft. to ft. GRAVEL PACK INTERVALS: From 44.4 ft. to 52 ft. From ft. to ft. GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite* 4 Other Grout Intervals From 0 ft. to 40° ft. From 0 ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Foedyard 13 Insecticide storage FROM TO CODE LITHOLOGIC LOG FROM TO NOTES 0 7 Topsoil, black to dark brown 23.5 How many feet? FROM TO Clay, tan to light tan with olive and yellow, with ealcite stringers below 15' Shale, gray with black shale stringer 40 Clay, tan to light tan with olive and yellow, with ealcite stringers below 15' Shale, gray with black shale stringer 50 Clay, tan to dark tan 40 51 Shale, weathered, brown/olive to gray 51 Shale, weathered, brown/olive t	Casing height above land surface	30	in., weight	0.	703	lbs./ft.	Wall thick	ness or gaug	je No.	SCH.	40	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) COREEN OR PERFORATION OPENINGS ARE: 5 Galuzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous siot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 2 CREEN-PERFORATED INTERVALS: From 46.4 ft. to 51.4 (4") ft. From ft. to ft. Torch cut Intervals From ft. Torch cut Intervals	TYPE OF SCREEN OR PERFORATI	ON MATERIAL:				PVC	-	10 Aspestos	-cement			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 46.4 ft. to 51.4 (4") ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 44.4 ft. to 52 ft. From ft. to ft. From f					8	RMP (SR)		11 Other (sp	ecify)			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 46.4 ft. to 51.4 (4") ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 44.4 ft. to 52 ft. From ft. to ft. From f			6 Conc		. 9	ABS		12 None use	ed (open hol	e) Jama (anar	, bala\	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 46.4 ft. to 51.4 (4") ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 44.4 ft. to 52 ft. From ft. to ft. From f				PIOE	wrapped		8 Saw	CUT	11 1	vorie (opei	i noie)	
A completed on (mo/day/yr) CREEN-PERFORATED INTERVALS: From 46.4 ft. to 51.4 (4") ft. From ft. to ft. It is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO NOTES 1 Clay, tan to light tan with olive and yellow, with calcite stringers below 15' Grout for 10" casing "* Grout for 4" c					appoo							
From 44.4 ft. to 52 ft. From ft. to ft. To ft. From ft. To ft. To ft. From ft. To ft. To ft. From ft. F		1 Key punched	AG A	/ Torch c		'\	TU Olli	er (specify)	# to			
GRAVEL PACK INTERVALS: From 44.4 ft. to 52 ft. From ft. to ft. From ft. ft. ft. ft. From ft. ft. ft. ft. From ft. ft. ft. ft. From ft. ft. ft. From ft. ft. ft. ft. From ft. ft. ft. ft. From ft.	SCREEN-PERFORATED INTERVAL	.S: From	40.4	π. το	31.4 (4	J	FIOIII		II. IO		:	
From ft. to ft. Mhat is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/ Gas well 2 Sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO NOTES O 7 Topsoil, black to dark brown Clay, tan to light tan with olive and yellow, with calcite stringers below 15' ** Grout for 4" casing ** Grout for 4" casi		From		π. το	5 2		From		II. 10		^L	
Arout Intervals From 0 ft. to 40* ft. From 0 ft. to 44.4** ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank	GRAVEL PACK INTERVALS			π. το		IL.	From		11. 10			
Arout Intervals From 0 ft. to 40* ft. From 0 ft. to 44.4** ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank				π. το	T_=		4 00		11. 10		11.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO NOTES Clay, tan to light tan with olive and yellow, with calcite stringers below 15' 23 23.5 Boxwork Calcite, in tan clay 23.5 40 Clay, tan to dark tan 40 51 Shale, weathered, brown/olive to gray 51 52 Shale, gray with black shale stringer FROM TO CODE LITHOLOGIC LOG FROM TO NOTES ** Grout for 10" casing ** Grout for 4" casing ** Grout for 10" casing ** Grout for 10" casing ** Grout for 4" casing ** Grout for 10" casing ** Grout for 10" casing ** Grout for 4" casing ** Grout for 10" casing ** Grout for 4" casing ** Grout for 10" casing ** Grout for 10" casing ** Grout for 4" casing ** Grout for 10" casing	6 GROUT MATERIAL: 1 Nea	t cement*	2 Cement g	rout	3 Ben	tonite"	4 Otner					
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO NOTES 0 7 Topsoil, black to dark brown Clay, tan to light tan with olive and yellow, with calcite stringers below 15' ** Grout for 10" casing ** Grout for 4" casi	Grout Intervals From 0	ft. to 40"	ft. Fro	m 0	ft.	to 44.4	#"" ft.	From	π.	to	П.	
2 Sewer lines 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? FROM TO CODE LITHOLOGIC LOG FROM TO NOTES Clay, tan to light tan with olive and yellow, with calcite stringers below 15' acrount for 4" casing to Grout for 4" casing		le contamination:		7. Dh			•				ven	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO NOTES O 7 Topsoil, black to dark brown Clay, tan to light tan with olive and yellow, with calcite stringers below 15' * Grout for 10" casing ** Grout for 4" casing 23 23.5 Boxwork Calcite, in tan clay 23.5 40 Clay, tan to dark tan 40 51 Shale, weathered, brown/olive to gray 51 52 Shale, gray with black shale stringer GPS: Latitude: N 37.847206 Longitude: W 97.183819 TOONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) O5/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. Geotechnical Services Inc. Inserticide storage How many feet? NOTES **Grout for 10" casing ** Grout for 4" casing ** Gro	•		S								w)	
Direction from well?		•	it	-	-			•	.5 50,00 (8		,	
FROM TO CODE LITHOLOGIC LOG FROM TO NOTES O 7 Topsoil, black to dark brown Clay, tan to light tan with olive and yellow, with calcite stringers below 15' 23 23.5 Boxwork Calcite, in tan clay 23.5 40 Clay, tan to dark tan 40 51 Shale, weathered, brown/olive to gray 51 52 Shale, gray with black shale stringer GPS: Latitude: N 37.847206 Longitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was completed on (mo/day/yr) 05/03/12 and this record is true to the best of my knowledge and belief. Kansas water well represented the power of the part of my knowledge and belief. Kansas and this record is true to the best of my knowledge and belief. Kansas water well represented the power of the part of my knowledge and belief. Kansas of the part of the part of my knowledge and belief. Kansas of the part of the part of my knowledge and belief. Kansas of the part of the part of my knowledge and belief. Kansas of the part of the part of my knowledge and belief. Kansas of the part of the part of the part of my knowledge and belief. Kansas of the part of the part of my knowledge and belief. Kansas of the part of th	•	o Seepage pi	ıı	9 i eedyald								
Topsoil, black to dark brown Clay, tan to light tan with olive and yellow, with calcite stringers below 15' 23 23.5 Boxwork Calcite, in tan clay 23.5 40 Clay, tan to dark tan 40 51 Shale, weathered, brown/olive to gray 51 52 Shale, gray with black shale stringer GPS: Latitude: N 37.847206 Longitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was completed on (mo/day/yr) Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) Under the business name of Geotechnical Services Inc. Dy (signature) DISTRICTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W		LITHO	DLOGIC LOG	3	FROM		1		NOTES			
7 23 yellow, with calcite stringers below 15' 23 23.5 Boxwork Calcite, in tan clay 23.5 40 Clay, tan to dark tan 40 51 Shale, weathered, brown/olive to gray 51 52 Shale, gray with black shale stringer GPS: Latitude: N 37.847206 Longitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was completed on (mo/day/yr) O5/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. Geotechnical Services Inc. INSTRUCTIONS: Please fill in blacks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W	0 7	Topsoil, black	to dark bro	wn			1.					
23.5 40 Clay, tan to dark tan 40 51 Shale, weathered, brown/olive to gray 51 52 Shale, gray with black shale stringer GPS: Latitude: N 37.847206 Longitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) O5/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. Under the business name of Geotechnical Services Inc. UNSTRUCTIONS: Please fill in plants and circle the correct answers. Send three cories to Kansas Department of Health and Environment, Bureau of Water, 1000 S W							* Grou	t for 10"	casing			
23.5 40 Clay, tan to dark tan 40 51 Shale, weathered, brown/olive to gray 51 52 Shale, gray with black shale stringer GPS: Latitude: N 37.847206 Langitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 10 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 05/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. Under the business name of Geotechnical Services Inc. INSTRUCTIONS: Please fill in plants and circle the correct answers. Send three cories to Kansas Department of Health and Environment, Bureau of Water, 1000 S W							- Gro	ut TOT 4" (asing			
40 51 Shale, weathered, brown/olive to gray 51 52 Shale, gray with black shale stringer GPS: Latitude: N 37.847206 Longitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 05/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 1 This Water Well Record was completed on (mo/day/yr) 1 UNSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W				ciay	-		 					
Shale, gray with black shale stringer GPS: Latitude: N 37.847206 Longitude: W 97.183819 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) O5/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. Under the business name of Geotechnical Services Inc. DINSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W				alive to area	-							
GPS: Latitude: N 37.847206 Longitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 05/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. under the business name of Geotechnical Services Inc. UNSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W							1					
Latitude: N 37.847206 Longitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 05/03/12 water Well Contractor's License No. 1531 This Water Well Record was completed on (mo/day/yr) 1531 This		, g.uj										
Latitude: N 37.847206 Longitude: W 97.183819 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 05/03/12 water Well Contractor's License No. 1531 This Water Well Record was completed on (mo/day/yr) 1531 This												
TONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 05/03/12 water Well Contractor's License No. 1531 This Water Well Record was completed on (mo/day/yr) 1531 Under the business name of Geotechnical Services Inc. 1531 1531 1531 1531 1531 1533								I RIAM	147000			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 05/03/12 Water Well Contractor's License No. 1531 This Water Well Record was completed on (mo/day/yr) 1531 Under the business name of Geotechnical Services Inc. 1531 This Water Well Record was completed on (mo/day/yr) 1531			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~							`		
completed on (mo/day/yr) 05/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. Under the business name of Geotechnical Services Inc. UNSTRUCTIONS: Please till in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment. Bureau of Water, 1000 S W							Longi	tude: W 9	17.18381	j		
completed on (mo/day/yr) 05/03/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. Under the business name of Geotechnical Services Inc. UNSTRUCTIONS: Please till in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment. Bureau of Water, 1000 S W		VIEWO OFFICE	TION: TI-	water	(1)	10toc (0)	oonetri ista	l or (2) pluce	ad under m	iuriediatio	n and was	
under the business name of Geotechnical Services Inc. by (signature) UNSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three cories to Kansas Department of Health and Environment. Bureau of Water, 1000 S.W.	7 CONTRACTOR'S OR LANDOW	NEH'S CERTIFICA	ATION: This	water well was	(1) constru	ucted, (2) red	CONSTRUCTED	i, or (3) plugg	eu unuerm)	JUNDUICHUI	Varar	
under the business name of Geotechnical Services Inc. by (signature) UNSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three cories to Kansas Department of Health and Environment. Bureau of Water, 1000 S.W.	completed on (mo/day/yr)		/03/12		and t	this record is	true to the	pest of my l	knowledge a	ina peliet.	nansas /21/10	
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three conies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W	water well Contractor's License No) .	JU 1		11115	vvalei vveii i	necorgiwa	a completed	on (mo/day/	yr) U 5	131/12	
INSTRUCTIONS: Please till in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Waler, 1000 S W Lackson St., Ste. 420. Toneka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.	under the business name of	Geotechr	nical Serv	rices Inc.	<u>k</u>	oy (signature) /4/	h and finite	mont Purosi	of Water 1	1000 S W	
	INSTRUCTIONS: Please fill in bi	ianks and circle the c ansas 66612-1367	correct answer Telephone: 91	s. Send three o 13-296-5545. S	end one to V	nsas Departm NATER WELI	LOWNER a	in and Environ and retain one	for your reco	rds.		