	WATE	R WELL RECORD F	form WWC-5 KSA	82a-1212	WCC-3
LOCATION OF WATER WE	LL Fraction		Section Num		
Dounty: SED6WICK	SW 1/4	SW1/4 SI	N1/4 26	T 25 S	S R A CEN
Distance and direction from ne	1 10 MILES NE	OF WICHTA	Street address of we	Il if located within city?	
WATER WELL OWNER:	KILES _	,*	10-	c	
RR#, St. Address, Box # :		la de	$/$ $/$ \sim $/$		ture, Division of Water Resources
	WICHITA, KAN.			Application Num	
part .	· ·		,	•	in. to ft.
Well Water to be used as:	5 Public water s		8 Air conditioning	11 Injection	
1 Domestic 3 Feedlot	6 Oil field water 7 Lawn and gard		9 Dewatering 10 Observation well	12 Other (S	Specify below)
2 Irrigation 4 Industrial				month	day 8 1year
Pump Test Data				*	gpm
lon	pm: Well water was	ft. after		hours pumping	gpm
1 TYPE OF BLANK CASING	USED:	5 Wrought iron	8 Concrete tile	Casing Joints:	Glued .X Clamped
닏	RMP (SR)	6 Asbestos-Cement	9 Other (specify b	elow)	Welded
	ABS	7 Fiberglass			Threaded
Blank casing dia	in. to . 38.5	ft., Dia	in. to	ft., Dia	in. to ft.
		in., weight			auge No SCHEDULE 40
TYPE OF SCREEN OR PERF			7 PVC	10 Asbestos	
	Stainless steel	5 Fiberglass	8 RMP (SR)		pecify)
	Galvanized steel	6 Concrete tile	9 ABS	The state of the s	ed (open hole)
Screen or Perforation Opening			d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w 7 Torch		9 Drilled holes	
2 Louvered shutter Screen-Perforation Dia	4 Key punched	in-		, , , , ,	in to
Screen-Perforated Intervals:	From 38.5	rt. to 48.	5 ft. From		. toft.
solociti on oracoa mortano.					. toft.
Gravel Pack Intervals:	From. 38.5	ft. to 48.	5 ft., From		. to
	From	ft. to	ft., From	ft	. to ft.
5 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite		
Grouted Intervals: From) ft. to 35	5 ft., From 3	5.5 ft. to	78. S ft., From	ft. to
What is the nearest source of	possible contamination:	A STATE OF THE PARTY OF THE PAR	10 F	uel storage	14 Abandoned water well
1 Septic tank	4 Cess pool	7 Sewage lago	and the same of th	ertilizer storage	15 Oil well/Gas well
2 Sewer lines	5 Seepage pit	8 Feed yard		· ·	16 Other (specify below)
3 Lateral lines	6 Pit privy	9 Livestock per		Vatertight sewer lines	N
				ater Well Disinfected? Yes.	
Was a chemical/bacteriological sample submitted to Department? Yes					
If Yes: Pump Manufacturer's name					
Depth of Pump Intake					, gal./min.
				Dentrifugal 5 Recipr	
6 CONTRACTOR'S OR LAN	DOWNER'S CERTIFICATI	ON: This water well wa	A STATE OF THE PARTY OF THE PAR		ed under my jurisdiction and was
completed on	-Y	. month	day	1981	year,
and this record is true to the b				e No 399	
This Water Well Record was o	completed on	<i>∱</i> m	onth	a day 1981	
name of WOODWARD-C	, ,,		y (signature)		rolearly
Z LOCATE WELL'S LOCATION WITH AN "X" IN SECTION		LITHOLOG		ROM TO	LITHOLOGIC LOG
BOX:	N 0 84		OPSOIL		
N	0 11	YELLOW-BROWN		2774.1 8	
1		A	ESENT AS ORN	>141-7	
NW NE	19 23	ALL UNITES	IN OLIVE TO	CALV	
W Wie		SILTY OF AV	SOME CHA		
× W	- // - // - // - // - // - // - // - /	LIME ZONE			
SW SE	23 49	VELLOW-BROW	N SILTY OLA	ty w/	
<u> </u>		HARD CARBY	MATE NODI	lies.	
: S I		VEIN FILLIN	IG. SOME	LAMINATED	
ELEVATION:			AGMENTS.		1 4 A 2 4 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5
Depth(s) Groundwater Encour	ntered 1 4 .7ft.	2 ft. 3	ft. 4	ft. (Use a seco	and sheet if needed)
INSTRUCTIONS: Use typewrit	er or ball point pen, please	press firmly and PRINT	clearly. Please fill in b	lanks, underline or circle the	e correct answers. Send top three ne to WATER WELL OWNER and
retain one for your records.		ornatori of Edwirollinettl,	vvator vvon Contractors	, Topena, No occao. Sella o	THE TO VALLET AAFTE OAAINEL GIIG