| | WATE | ER WELL RECORD F | orm WWC-5 KSA 82 | 2a-1212 W | 2C-8 |
|---|-----------------------------|--|-------------------------|---|---|
| LOCATION OF WATER WE Sounty: SEDG WICK | 1101 | -5% | Section Number | r Township Number | Range Number |
|)istance and direction from ne | earest town or city? | NE OFWICHT | Street address of well | if located within city? | |
| WATER WELL OWNER: | K. I. E.S. 1 | | / // | $\cap I$ | |
| R#, St. Address, Box # | POBOX 743 | | 14-1 | Board of Agricultu | ure, Division of Water Resources |
| Dity, State, ZIP Code : | WICKTITA, A | YANSAS 607. | 201 | , Application Numb | |
| DEPTH OF COMPLETED | WELL. 54 ft. E | Bore Hole Diameter | 4in. to 5.3 | f ft., and | in. to ft. |
| Vell Water to be used as: | 5 Public water s | supply | 8 Air conditioning | 11 Injection | weil |
| 1 Domestic 3 Feedlot | 6 Oil field water | supply | 9 Dewatering | 12 Other (S | pecify below) |
| 2 Irrigation 4 Industrial | | | 10 Observation well | | |
| Nell's static water level | ft. below land | d surface measured on . | JULY | month $\dots / 5 \dots$ | day ./.9.8./year |
| Pump Test Data | | | | | gpm |
| | pm: Well water was | ft, after | | hours pumping | gpm |
| TYPE OF BLANK CASING | | 5 Wrought iron | 8 Concrete tile | = | Glued . 📉 Clamped |
| | RMP (SR) ABS | 6 Asbestos-Cement7 Fiberglass | 9 Other (specify bel | • | Welded |
| Blank casing dia / | | | | ft., Dia | |
| | | in., weight | | | uge No SCHEDILL 40 |
| TYPE OF SCREEN OR PERF | | | (7 PVC) | 10 Asbestos- | |
| | Stainless steel | 5 Fiberglass | 8 RMP (SR) | • • | ecify) |
| | Galvanized steel | 6 Concrete tile | 9 ABS | 12 None used | ` ' ' |
| Screen or Perforation Opening | | | d wrapped | 8 Saw cut | 11 None (open hole) |
| 1 Continuous slot | 3 Mill slot | 6 Wire w | • • • | 9 Drilled holes | |
| 2 Louvered shutter | 4 Key punched | 7 Torch | | , | in to |
| Screen-Perforation Dia Screen-Perforated Intervals: | | | | | toft. |
| Screen-Ferioraled intervals. | From | , | | | toft. |
| Gravel Pack Intervals: | | ft to 54 | | | to |
| | From | ft. to | ft., From | ft. | to ft. |
| 5 GROUT MATERIAL: | 1 Neat cement | 2 Cement grout | , 3 Bentonite | 4 Other | |
| Grouted Intervals: From | O ft. to 4.6 | 9 ft., From | 1.0.9. ft. to4 | 3.9 ft., From | ft. to . ft . |
| What is the nearest source of | | | | | 14 Abandoned water well |
| 1 Septic tank | 4 Cess pool | 7 Sewage lago | on 11 Fer | tilizer storage | 15 Oil well/Gas well |
| 2 Sewer lines | 5 Seepage pit | 8 Feed yard | | | 16 Other (specify below) |
| 3 Lateral lines | 6 Pit privy | 9 Livestock per | 13 Wa | tertight sewer lines SOLL | DULASTE DISPOSALTRENO |
| | | | | | No |
| | | | | | If yes, date sample |
| was submitted | | | | | |
| | | | | | |
| | | | | | gal./min. |
| | | 2 Turbine | | | ed under my jurisdiction and was |
| completed on JULY | | month | | | , |
| and this record is true to the | | | | | year, |
| This Water Well Record was | | | | 163631 | vear under the business |
| name of WOODWAPI | | USULTANTS | | Word L. A | rolines |
| 7 LOCATE WELL'S LOCAT | | LITHOLOG | | ом то | LITHOLOGIC LOG |
| WITH AN "X" IN SECTION | N O 4-A | DARK BROWN | CLAYEY TOF | SOL | |
| BOX: | 4 9 | RED-BROTON | SILTY CLA | 4. | |
| N | | WEATHERE | D SHALE | / 1 | |
| | 9 54 | BHIVE, VEI | COW-BROW | JN, | |
| NW NE | | MOTTLED'S | LTY CLAY | | |
| W Z | | SHALE, W | EATHERED | | |
| - SW SE | | , | | | |
| | | | | | |
| I L | | | | | |
| 1 Mile | | | | | |
| ELEVATION: | K 1 + | | | | |
| Depth(s) Groundwater Encou | iter or hall point pen nice | 2 ft. 3 | ft. 4ft. | . Use a seco | nd sheet if needed) |
| copies to Kansas Department | of Health and Environment | , Division of Environment, | Water Well Contractors, | ropeka, KS 66620. Send or | correct answers. Send top three to WATER WELL OWNER and |
| retain one for your records. | | | | | · · · · · · · · · · · · · · · · · · · |