

1 LOCATION OF WATER WELL: Fraction NW 1/4 NE 1/4 SW 1/4 Section Number 26 Township Number T 25 S Range Number R 02 E  
 County: Sedgwick

Distance and direction from nearest town or city street address of well if located within city?

3 miles southeast of Furley, Kansas

2 WATER WELL OWNER:

NIES

RR#, St. Address, Box #:

8808 North 127th Street East

Board of Agriculture, Division of Water Resources

City, State, ZIP Code

Valley Center, Kansas 67147

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 40 ft.

ELEVATION: 1343.4 ft. MSL

Depth(s) Groundwater Encountered 1. NA ft. 2. 1343.4 ft. 3. 11/18/83 ft.

WELL'S STATIC WATER LEVEL 34.3 ft. below land surface measured on mo/day/yr 11/18/83

Pump test data: Well water was NA ft. after NA hours pumping NA gpm

Est. Yield NA gpm: Well water was NA ft. after NA hours pumping NA gpm

Bore Hole Diameter 11 in. to NA ft. and NA in. to NA ft.

WELL WATER TO BE USED AS:

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Monitoring Well

Was a chemical/bacteriological sample submitted to Department? Yes NA No NA; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes NA No NA

5 TYPE OF BLANK CASING USED:

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued NA Clamped NA

1 Steel

3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

Welded NA

2 PVC

4 ABS

7 Fiberglass

Threaded NA

Blank casing diameter 5 in. to 20 ft. Dia NA in. to NA ft. Dia NA in. to NA ft.

Casing height above land surface 18 in. weight 2.28 lbs./ft. Wall thickness or gauge No. 0.214 in.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

7 PVC

10 Asbestos-cement

2 Brass

4 Galvanized steel

6 Concrete tile

8 RMP (SR)

11 Other (specify)

9 ABS

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS:

From 20 ft. to 40 ft.

From NA ft. to NA ft.

From NA ft. to NA ft.

GRAVEL PACK INTERVALS:

From 10 ft. to 40 ft.

From NA ft. to NA ft.

From NA ft. to NA ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout Intervals: From 0.0 ft. to 40 ft.

What is the nearest source of possible contamination: North Disp. Area

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

Haz. Waste Facility

Direction from well? South

How many feet? Approx. 150

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0 ft	2 ft	Topsoil			
2 ft	40 ft	Clay - yellowish tan, sticky			
Note: Above log copied from Water Well Record completed on 13 January 1977 by Harp Well and Pump Service, Inc., Wichita, Kansas who completed installation of this well on 5 January 1977.					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/18/83 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 416

This Water Well Record was completed on (mo/day/yr) 2-16-84

under the business name of Terracon Consultants, Inc.

by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send to three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.