			. WATE	R WELL RECORD	Form WWC-	5 KSA 8	2a-1212			
	ON OF WAT		Fraction	NE 14 SE		ection Number			Range N	
County: Distance a	3 our box	rom nearest toy	vn or city street a	address of well if located	1/4 within city?	24	T 25	S	R 24	E/W
Huy 54	رمال المال	30' w n1	NE CO	SEY TH S	w 130	1 , 1/4	URT TH 1	U 901.	THE TO	ADB
	WELL OWN	NER: Gary	Hrill	<u> </u>	- 123	J.	- 55 J 1-11	'0')	1 11	
	Address, Box						Board of	Agriculture, D	ivision of Water	er Resources
City, State,	ZIP Code	En. +	1. C	66701			Applicatio	n Number:		
LOCATE	WELL'S LC	CATION WITH			. 191.,.	ft. ELE\	/ATION:			
AN "X"	IN SECTION	BOX:	Depth(s) Ground	COMPLETED WELL dwater Encountered 1.	16'	ft	. 2	ft. 3.	1211013	
ī [!	1	WELL'S STATION	WATER LEVEL	b ! ft.	below land s	surface measured or	n mo/day/yr	9-18-91	
	- NW	- NF	Pum	p test data: Well wate	was	ft.	after	. hours pur	mping	gpm
	-	7,1	ľ	gpm: Well water				-		
<u>*</u> w ├	-	E		eterin. to.			•			.
≦	-				5 Public wat				Injection well Other (Specify below)	
1 l-	- SW	SE	1 Domestic			ater supply	9 Dewatering Monitoring we			
	!!!	!	2 Irrigation						mo/day/vr com	
<u>ł</u> L	<u> </u>		was a chemical	bacteriological sample s	ubmitted to L		Vater Well Disinfect		Mo/day/yr sam	<u>ر</u>
TVPE	DE BI VVIK C	ASING USED:	milled	5 Wrought iron	8 Conc				Clam	
1 Ste		3 RMP (SI	B)	6 Asbestos-Cement		r (specify bel			ed	
2) PV		4 ABS	,	7 Fiberglass					ded	
		. /	.in. to	ft., Dia						
	-	nd surface	, 7 11	.in., weight						
	-	PERFORATIO	,		⊘ P'			bestos-ceme		
1 Ste	el	3 Stainless	s steel	5 Fiberglass	8 R	MP (SR)	11 Ott	ner (specify)	<i></i>	
2 Bra	ass	4 Galvaniz	ed steel	6 Concrete tile	9 A1	BS	12 No	ne used (ope	en hole)	
SCREEN (OR PERFOR	ATION OPENIN		5 Gauze	d wrapped		8 Saw cut		11 None (ope	en hole)
1 Co	ntinuous slot	_	lill slot	6 Wire wrapped			9 Drilled holes			
	uvered shutte		ey punched	7 Torch	cut		10 Other (specif			
SCREEN-F	PERFORATE	D INTERVALS:	_				rom			
			From	2 ft. to	141	ft., F	rom	ft. to)	
G	HAVEL PAC	K INTERVALS:			((
CROUT	MATERIAL:	1 Neat o	From	ft. to 2 Cement grout	(a) Boot	ft., F	4 Other	ft. to	-	ft.
Grout Inter		_	~ · · · · · · · · · · · · · · · · · · ·	ft., From	_					
		arce of possible					estock pens		andoned wate	1
	ptic tank	4 Later		7 Pit privy			el storage		l well/Gas well	
	wer lines	5 Cess	pool	8 Sewage lago	on		tilizer storage	16 Ot	her (specify be	elow)
3 Wa	tertight sewe	er lines 6 Seep		9 Feedyard			ecticide storage		· · · · · · · · · · · · · · · · · · ·	
Direction fr	om well?	_5				. How m	nany feet? SO			
FROM	ТО		LITHOLOGIC	7 1	FROM	то	Р	LUGGING IN	ITERVALS	
5"	5"	Black 1		Paving						
	9"	gray	Duse Ko						-	
911	1.5'	Glack F	roun Sil	ty Clay						
1,2,	6.01	Brown	Silty Ch	ay '				w		
6.0,	14.01	Ovay DIO	wn mon	He Clay	-					
			4						_	
		4 //								A 1000 THE R. P.
			A P. Walter T. B.							The second secon
		ALL PARTY		Manual Transport						
7 CONTR	ACTOR'S O	R LANDOWNER	R'S CERTIFICAT	ION: This water well wa	s (1) constr	ucted. (2) re	constructed, or (3)	olugaed und	er my iurisdicti	on and was
_	on (mo/day/y	4	-18 -90				cord is true to the be			
•		License No		This Water We				6-21-	31	
	ousiness nam	^ /		villing		by (sigr				
		pewriter or ball point	pen. PLEASE PRESS	FIRMLY and PRINT clearly. Ple						partment
of Health	h and Environme	nt, Bureau of Water	Protection, Topeka, Ka	ansas 66620-7320. Telephone: 9	13-296-5514. S	end one to WAT	ER WELL OWNER and r	etain one for you	ır records.	