

AGES - GARY

WATER WELL RECORD Form WWC-5 KSA 82a-1212

SB-4

1 LOCATION OF WATER WELL:		Fraction <i>SW 1/4 SW 1/4 SE 1/4</i>	Section Number <i>35</i>	Township Number <i>T 25 S</i>	Range Number <i>R 5E EW</i>
Distance and direction from nearest town or city street address of well if located within city?					
2 WATER WELL OWNER: <i>Dillons</i> RR#, St. Address, Box # : <i>6TH & Main Streets</i>		Board of Agriculture, Division of Water Resources Application Number:			
City, State, ZIP Code : <i>EL Dorado, KS 67042</i>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 20 ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 16 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <i>Soil Boring</i> 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:		5 Wrought iron 1 Steel 3 RMP (SR) 2 PVC 4 ABS	6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued Clamped Welded Threaded
Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.		lbs./ft. Wall thickness or gauge No.			
Casing height above land surface in., weight lbs./ft.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel		5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)	11 None (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched		5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	ft. to ft., From ft. to ft.	
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.		ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.		ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: 1 Neat cement Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.		2 Cement grout 3 Bentonite	4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)	
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit		7 Pit privy 8 Sewage lagoon 9 Feedyard	ft. to ft., From ft. to ft.		
Direction from well?					
FROM TO <i>0 3</i> <i>3 9</i> <i>9 20</i>		LITHOLOGIC LOG <i>Brown Clay</i> <i>Black Clay</i> <i>Red Brown Clay</i>		FROM TO <i>0 1</i> <i>1 4</i> <i>4 14</i> <i>14 20</i>	PLUGGING INTERVALS <i>Concrete</i> <i>Dirt</i> <i>Concrete</i> <i>Hole plug</i>
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <i>7-16-97</i> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <i>6007</i> This Water Well Record was completed on (mo/day/yr) <i>8-5-97</i> under the business name of <i>Davis Environmental Drilling L.L.C.</i> by (signature) <i>John Davis</i>					

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.