SSI Job No	. 057094								OW-36	
		- Wei		ER WELL RECO	RD Form \			212 ID No	T. Beer Number -	
	N OF WATER		Fraction NW 1/4	SW	CW		n Number 26		1	
County:	direction from	m nearest	town or city street a	dress of well if	located withi	n city?	20	T 25 S	R 05 E	
18	835 N. Top	eka, El I	Oorado (Former	Coastal Ref	inery)	ii Oity :				
	WELL OWNE		El Paso Me			oleum C	ompany	1		
	iress, Box #		2 N. Nevad		••				Division of Water Resources	
City, State, Z	IP Code	:	Colorado S	Springs, CC	80903					
LOCATE	WELL'S LOC SECTION B	ATON WI		DEPTH OF COMPLETED WELL 17.9 ft. ELEVATION: 1304.79 TOC						
A • C	1	-	Depth(s) Groun	dwater Encount	tered 1	11	ft.	. 2 f	t. 3 ft. started ft.	
		. \	WELL'S STATION	C WATER LEVE	EL	ft. be	elow land s	urface measured on mo/	day/yr	
		1							urs pumpinggpm	
₩ W	<u> </u>	i	E Est. Yield	gpm: V	Vell water wa	ıs	fi	t. after hou	urs pumpinggpm	
1			Bore Hole Diam	eter 8	in. to	18		ft. and	in. to ft. 11 Injection well 12 Other (Specify below)	
' =	sw	- SE	1 Domest	ic 3 Feed lot	AS: 5 Publi 6 Oil fie	ic water sup eld water su	piy Ipoly	Air conditioning Dewatering	11 Injection well 12 Other (Specify below)	
↓ ×	i		2 Irrigation	n 4 Industria	al 7 Lawr	and garde	n (domestic	2) 10 Monitoring well	>	
T	S								yes, mo/day/yr sample was	
	_		submitted		•			ter Well Disinfected? Ye	•	
5 TYPE OF	BLANK CAS	SING USE		5 Wrought	t Iron	8 Concrete			Glued Clamped	
1 Ste	el	3 RN	IP (SR)	6 Asbesto	s-Cement	g Other (s	pecify belo	w) \	Velded	
2 PV		4 AB		7 Fibergla	SS			\triangleleft	hreaded Flush	
Blank casing	diameter	2			-	in. to		ft., Dia	in. to ft.	
Casing heigh	ht above land	surface	36	in., weight	0.7	703	──lbs./ft.	Wall thickness or gauge	No. Sch. 40	
TYPE OF S	CREEN OR P	PERFORA	TION MATERIAL:			(7 P	vc	10 Asbestos-c	No. Sch. 40 cement	
1 Ste	el	3 Sta	ainless steel	5 Fibergla	SS	8 R	MP (SR)	11 Other (spe	cify) (open hole)	
2 Bra		4 Ga	ilvanized steel NI <u>NGS ARE</u> :							
	ntinuous slot		3 Mill slot		6 Wire wra			9 Drilled holes	11 None (open hole)	
			4 Key punched		7 Torch cu					
				7.5 ft	t. to	17.5	ft. F	From .	ft. to ft.	
									ft. toft.	
GR/	AVEL PACK I	INTERVAL	S: From	5.5 ft	t. to	18	ft. I	From	ft. toft.	
			From	fi	t to		ft. I	From	ft. to ft.	
6 GROUT	MATERIAL:	1 N	eat cement	2 Çement grou	at	3 Bento	onite	4 Other		
Grout Interv	als From	0	ft. to 5.5	ft. From		ft. to		ft. From	ft. to ft.	
	nearest source	ce of possi	ble contamination:				10 Lives	stock pens 14	Abandoned water well	
1				4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well						
I	wer lines		5 Cess pool							
	itertight sewe	r lines	6 Seepage p	Seepage pit 9 Feedyard 13 Insecticide storage						
Direction fro	m well?	CODE	LITH	DLOGIC LOG		FROM	How many		NG INTERVALS	
0	0.5		Gravel	22010100				1 20001		
0.5	4	CL	Silty Clay							
4	5.5	GP	Gravel							
5.5	15.5	CH	Silty Clay							
15.5	18		Limestone				ļ			
	 	 								
		 								
		-								
7 CONTE	ACTOR'S OF	RIANDOV	VNER'S CERTIFICA	TION: This wa	ter well was	(1) construct	ted 20) reco	onstructed or (3) plugged	under my jurisdiction and was	
			5-						owledge and belief. Kansas	
Water Well	Contractor's	license N	0.	531				Record was completed o		
1									n M. Irwin	
under the b	DUSINESS NAM	e of	blanks and circle the	cal Service	Send three on	by (s	ignature) as Denartm		ent, Bureau of Water, 1000 S W	
Jacks	on St., Ste. 420), Topeka, I	Kansas 66612-1367.	Telephone: 913-	296-5545. Se	nd one to W	ATER WELL	OWNER and retain one for	or your records.	