1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
County: Butler SW 1/4 SW 1/4 26 T 25 S R 05 E
Distance and direction from nearest town or city street address of well if located within city?
1835 N. Topeka, El Dorado (Former Coastal Refinery)
WATER WELL OWNER: El Paso Merchant Energy-Petroleum Company
RR#, St. Address, Box # : 2 N. Nevada Ave Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Colorado Springs, CO 80903 Application Number:
LOCATE WELL'S LOCATON WITH
3 AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 19 ft. ELEVATION: 1301.94 TOC
Depth(s) Groundwater Encountered 1 10 ft. 2 ft. 3 ft.
WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
Pump test data: Well water was ft. after hours pumping gpm
Est. Yield gpm: Well water was ft. after hours pumping gpm
T I I Describe Discrete 9 in to 10 minutes 1
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
X 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well
S Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
2 PVC 4 ABS 7 Fiberglass Threaded Flush
Blank casing diameter 2 in. to 8 ft., Dia in. to ft., Dia in. to ft.
Casing height above land surface 36 in., weight 0.703 lbs./ft. Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
TYPE OF SCREEN OR PERFORATION MATERIAL: (7 PVC) 10 Asbestos-cement
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPEN <u>INGS ARE:</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 8 ft. to 18 ft. From ft. to ft.
Fromft. toft. Fromft. toft.
GRAVEL PACK INTERVALS: From 5.5 ft. to 19 ft. From ft. to ft.
From ft to ft From ft to ft
From ft. to ft. From ft. to ft. ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals From 0 ft. to 5.5 ft. From ft. to ft. From ft. to ft.
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
Direction from well? How many feet?
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 1 GP Gravel
16 19 Limestone
Z CONTRACTORIS OR LANDOMNIERIS OF PUBLICATION TO
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
completed on (mo/day/yr) 5-10-05 and this record is true to the best of my knowledge and belief. Kansas
completed on (mo/day/yr) 5-10-05 and this record is true to the best of my knowledge and belief. Kansas