			R WELL RECOR	D Form WWC-	KSA	82a-1212	ID No		
LOCATION OF WA			0144		ection Nur		Township Number	Range Num	, ,
County:	outier	SW 1/4	SW 1/4	SW 1/4	26		т 25 s	R 05	
istance and direction 1835 N. Te	rrom nearest to opeka. El D	own or city street ad orado (Former	dress of well if lo Coastal Refin	cated within city? erv)				,	
WATER WELL OW				gy-Petroleu	m Com	pany			
R#, St. Address, Box		2 N. Nevada		9 ,			Board of Agriculture, Div	vision of Water Pe	eourcee
City, State, ZIP Code				80903			Application Number:	VISION OF WATER INC	Sources
LOCATE WELL'S L	OCATON WIT	H ,			-				
AN "X" IN SECTION	BOX:	DEPTH OF C	OMPLETED WE	LL	9.2 ft.	ELEVAT	10N: 129	91.61 TOC	
							ft.		
NW	NE						ace measured on mo/day		
	1						fter hours		
e w i		E Est. Yield	gpm: We	ll water was	:	ft. at	fter hours	pumping	gpm
ī		Bore Hole Diame	ter 8	in. to	19.2	ft.	and 8 Air conditioning 9 Dewatering	in. to	ft.
sw	SE	1 Domestic	C BE USED AS:	6 Oil field water	r supply er supply		9 Dewatering	11 Injection well 12 Other (Specify	helow)
×							9 Dewatering 10 Monitoring well		
S		Was a chemical/	bacteriological sa	ample submitted	to Denarto	nent? Ye	s No X If ye	s moldaylyr samr	ile was
		submitted	zaotonological ot	ampio odbitilitod	Сорин		Well Disinfected? Yes		
5 TYPE OF BLANK C	ASING USED		5 Wrought In	on 8 Co	ocrete tile		CASING JOINTS: Glu		
1 Steel		P (SR)			er (specify	y below)	We		
2 PVC	4 ABS		7 Fiberglass				Thre	aded Flu	sh
		in to 9.2	f Dia		 n to		ft., Dia	in to	9
Casing beight above is	nd surface	36	in weight	0.703	11. 10		all thickness or gauge N	Sch /	40
TYPE OF SCREEN OF	R PERFORATI	ION MATERIAL	iii., weigitt		7 PVC)	all thickness or gauge No 10 Asbestos-cem	nent	
1 Steel	3 Stai	nless steel	5 Fiberglass	`	8 RMP (SR)	11 Other (specify	r)	
2 Brass	4 Galv	vanized steel	6 Concrete t	ile	9 ABS	,	11 Other (specify 12 None used (o	pen hole)	
SCREEN OR PERFOR	RATION OPEN	INGS ARE:	5	Gauzed wrappe	ed		8 Saw cut	11 None (oper	n hole)
1 Continuous sle	ot 🤇	3 Mill slot	U	wile wiapped			a Dillied Holes		
2 Louvered shut	ter 4	4 Key punched	7	Torch cut	_	1	0 Other (specify)		
SCREEN-PERFORAT	ED INTERVAL	.S: From	9.2 ft. to	19.	<u>2</u>	ft. Fror	mft	to	ft.
		From	ft. to			. ft. Fror	nft nft	. to	ft.
GRAVEL PAC	K INTERVALS	S: From	6.8 ft. to	19.	<u> </u>	_ft. From	m ft	. to	ft.
		From	ft to	,		ft From	m ft	to	ft
6 GROUT MATERIA	_: 1_Nea	at cement 2	Cement grout	(3)	Bentonite	4	Other		
Grout Intervals Fron	nU	ft. to 6.8	ft. From		ft. to		ft. From	ft. to	ft.
What is the nearest so	urce of possible	le contamination:						bandoned water v	
		4 Lateral lines	7 F	Pit privy		Fuel sto	•	il well/ Gas well	
2 Sewer lines		5 Cess pool	. 8 9	Sewage lagoon	12	Fertilize		Other (specify belo	w)
	wer lines	6 Seepage pit	9 F	eedyard			• •••••		
Prection from well? FROM TO	CODE	LITHO	LOGIC LOG	FRC		many fe		INTEDVALO	
0 7		Silty Clay	LOGIC LOG	FRC	IVI I	-	PLUGGING	INTERVALS	
7 16.5		Clayey Silt							
16.5 19.2		Limestone							
					-				
	_								
				well was (1) cons	tructed 2) reconst	ructed, or (3) plugged un	der my jurisdiction	and was
completed on (mo/day	/yr)	5-1	0-05				e to the best of my know		
Water Well Contractor	's License No.		531				ord was completed on (n	-	
		Geotechnic		1	y (signatu			M. Irwin	
under the business na	me of	OCOLECTION	al Delvices						