1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number	
County: Butler SW ½ SW ½ SW ½ 26 T 25 S R 05  Distance and direction from nearest town or city street address of well if located within city?	E
1835 N. Topeka, El Dorado (Former Coastal Refinery)	
2 WATER WELL OWNER: El Paso Merchant Energy-Petroleum Company	-
RR#, St. Address, Box # : 2 N. Nevada Ave Board of Agriculture, Division of Water Resour	
City, State, ZIP Code : Colorado Springs, CO 80903 Application Number:	rces
LOCATE WELL'S LOCATON WITH	
3 AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 18.4 ft. ELEVATION: 1293.19 TOC	
Depth(s) Groundwater Encountered 1 13.5 ft. 2 ft. 3	ft.
WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr	
Pump test data: Well water was ft. after hours pumping c	mgr
w	mar
Bore Hole Diameter 8 in. to 19.5 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below the condition of the conditio	ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	''"
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify bel	ow)
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well	
S Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample w	as
submitted Water Well Disinfected? Yes No X	
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Welded	
2 PVC 4 ABS 7 Fiberglass Threaded Flush	
Blank casing diameter 2 in. to 8.4 ft., Dia in. to ft., Dia in. to	ft.
Casing height above land surface 36 in., weight 0.703 bs./ft. Wall thickness or gauge No. Sch. 40  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hol 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	e)
o this mapped	
2 Louvered shutter         4 Key punched         7 Torch cut         10 Other (specify)           SCREEN-PERFORATED INTERVALS:         From         8.4         ft. to         18.4         ft. From         ft. to	
From ft. to ft. From ft. to	π.
GRAVEL PACK INTERVALS: From 6 ft. to 19.5 ft. From ft. to	<sup>ft.</sup>
From ft. to ft. From ft. to  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals From 0 ft. to 6 ft. From ft. to ft. From ft. to	ft.
What is the nearest source of possible contamination:  10 Livestock pens 14 Abandoned water well	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well	ŀ
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 13.5 CH Silty Clay	
13.5 19.5 Limestone	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged under my jurisdiction and	was
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, or (3) plugged under my jurisdiction and completed on (mo/day/yr)  5-10-05  and this record is true to the best of my knowledge and belief. Kan	
completed on (mo/day/yr) 5-10-05 and this record is true to the best of my knowledge and belief. Kan	sas
completed on (mo/day/yr) 5-10-05 and this record is true to the best of my knowledge and belief. Kan	sas