	WATE	R WELL RECO	RD Form	WWC-5	KSA 8	32a-121	12 ID 1	No				
1 LOCATION OF WATER WELL:	Fraction				ion Nun		'			Range Number		
County: Butler	SE ½	NE 1/4	SE	1/4	27			25	S	R	05	
Distance and direction from nearest town 1835 N. Topeka, El Dor	n or city street add	ress of well if	located with	in city?								
2 WATER WELL OWNER:	El Paso Mer			oleum	Comr	any				<del></del>		
RR#, St. Address, Box # :	2 N. Nevada			Olculli	<b></b>	July		of Acidos	ilturo Dis	daion of N	Vater Res	
City, State, ZIP Code :	Colorado S		80903					ation Nur		VISIOIT OF V	valer nes	sources
LOCATE WELL'S LOCATON WITH		Jinigs, oc	00000				Applica	auon Nui	nber.			
AN "X" IN SECTION BOX:	DEPTH OF C	OMPLETED W	VELL	7.9	ft.	ELEVA	ATION:		131	1.61 T	oc	
4	Depth(s) Ground											
	WELL'S STATIC											
NWNE		test data: V										
₩ W E	Est. Yield											
÷ ''	Bore Hole Diame	ter 8	in to	8			t and		//	n to		ff
SW SF X	WELL WATER TO	D BE USED A	S: 5 Pub	lic water so	pply	'	8 Air	condition	ing	11 Injecti	on well	'
	Bore Hole Diame WELL WATER To 1 Domestic	3 Feed lot	6 Oil f	eld water:	supply		9 Dev	watering		12 Other	(Specify	below)
† <u>                                    </u>	2 Irrigation		l 7 Law	n and gard	len (dor	nestic)	<10 M	onitoring	well	<u> </u>		
S	Was a chemical/b	acteriological	sample sub	mitted to [	Departm	ent? Y	es	No X	If yes	s, mo/day	/yr samp	le was
	submitted					Wate	er Well D	isinfected	? Yes		No X	
5 TYPE OF BLANK CASING USED:		5 Wrought	Iron	8 Concre	ete tile		CASI					ed
1 Steel 3 RMP (		6 Asbestos	s-Cement	9 Other	(specify	below	<b>(</b> )			ded		_
2 PVC 4 ABS	·	7 Fiberglas								aded		sh >
Blank casing diameter 2	in. to 2.75	ft., Dia	•	in. t	0		ft Dia			in. to		ft.
Casing height above land surface	36	in weight	0.	703	h	s /ft \	Nall thick	ness or (	nauge No		Sch. 4	
TYPE OF SCREEN OR PERFORATION	N MATERIAL:	, woight		7	PVC	)"	Tan unon	10 Asbe	stos-cem	ent		17
1 Steel 3 Stainle	ess steel	5 Fiberglas	ss									
2 Brass 4 Galvar	nized steel			9	ABS	,				pen hole)		
SCREEN OR PERFORATION OPENIN			5 Gauzed	wrapped			8 Saw	cut		11 No	ne (open	hole)
	Mill slot		6 Wire wra					ed holes				
	Key punched		7 Torch c				10 Othe	er (speci	fy)			
SCREEN-PERFORATED INTERVALS:												
	From	ft.	to			ft. Fr	om		ft.	to		ft.
GRAVEL PACK INTERVALS:	From	1.75 ft.	. to	. 8		_ft. Fr	om		ft.	to		ft.
	From	ft.	to			ft. Fr	rom		ft			
6 GROUT MATERIAL: 1 Neat of	cement 2	Cement grout	t	3 Ber	ntonite		4 Other					
Grout Intervals From 0	ft. to 1.75	ft. From		ft.	to		ft.	From		ft. to	)	ft.
What is the nearest source of possible of	contamination:						ock pens				d water w	
1 Septic tank	4 Lateral lines					Fuel s	torage		15 C	il well/ G	as well	
2 Sewer lines	5 Cess pool	8	Sewage la	goon	12	Fertiliz	zer storaç	ge	16 C	ther (spe	cify belov	w)
3 Watertight sewer lines	6 Seepage pit	9	Feedyard		13	Insect	icide stor	age				
Direction from well?					How	many	feet?					
FROM TO CODE		OGIC LOG		FROM	T	0		PLI	JGGING	INTERV	ALS	
	avel, fill mate	eriai										
	ty Clay mestone				+							
3.4 6 LII	nestone				+-							
								·				
					+							
1												
7 ICONTRACTORIO CON AUGUSTA	DIO OFFICE OF	10kl 70kl				$\Box$		(5)			1. 10. 10	
			er well was					. , .				
7 CONTRACTOR'S OR LANDOWNE completed on (mo/day/yr)	5-1	0-05	er well was	and t	his reco	ord is tr	ue to the	best of	my know	edge and	belief.	Kansas
	5-1	0-05	er well was	and t	his reco	ord is tr	ue to the	best of o	my know ted on (n	edge and no/day/yr	belief. 1	Kansas
completed on (mo/day/yr)	5-10 Geotechnica	0-05 531 al Services	s, Inc.	and to	his reco Water V	ord is tr Vell Re	ue to the ecord was	best of a comple	my know ted on (n <b>lison</b> J	edge and no/day/yr <b>M. J</b> ⁄ ⁄ ⁄ ⁄ ⁄	belief. h 7-2	Kansas <b>20-05</b>