


WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATION OF WATER WELL: County: Butler				Fraction NW ¼ SE ¼ SE ¼	Section Number 27	Township Number T 25 S	Range Number R 05 E
Distance and direction from nearest town or city street address of well if located within city? 1835 N. Topeka, El Dorado (Former Coastal Refinery)							
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :				El Paso Merchant Energy-Petroleum Company 2 N. Nevada Ave Colorado Springs, CO 80903			
3 LOCATE WELL'S LOCATON WITH AN 'X' IN SECTION BOX: 				4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 11 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well			
				10.2 ft. ELEVATION: 1320.33 TOC			
				Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, mo/day/yr sample was submitted			
				Water Well Disinfected? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS				5 Wrought Iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass			
Blank casing diameter 2 in. to 5.2 ft. Dia				CASING JOINTS: Glued <input type="checkbox"/> Clamped <input type="checkbox"/> Welded <input type="checkbox"/> Threaded <input checked="" type="checkbox"/> Flush			
Casing height above land surface 36 in., weight 0.703				lbs./ft. Wall thickness or gauge No. Sch. 40			
6 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 11 Other (specify) 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 5.2 ft. to 10.2 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 4.5 ft. to 11 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 4.5 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)							
Direction from well? How many feet?							
FROM 0	TO 4.5	CODE CL	LITHOLOGIC LOG Silty Clay Limestone		FROM	TO	PLUGGING INTERVALS
4.5	11						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 5-10-05 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No. 531				This Water Well Record was completed on (mo/day/yr) 7-20-05			
under the business name of Geotechnical Services, Inc.				by (signature) Allison M. Irwin			
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St, Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							