


1 LOCATION OF WATER WELL:		Fraction County: Butler NE 1/4 NE 1/4 NE 1/4			Section Number 34		Township Number T 25 S		Range Number R 05 E		
Distance and direction from nearest town or city street address of well if located within city? 1835 N. Topeka, El Dorado (Former Coastal Refinery)											
2 WATER WELL OWNER:		El Paso Merchant Energy-Petroleum Company 2 N. Nevada Ave Colorado Springs, CO 80903					Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:							4 DEPTH OF COMPLETED WELL 14.6 ft. ELEVATION: 1310.26 TOC Depth(s) Groundwater Encountered 1 10 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 15 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X				
5 TYPE OF BLANK CASING USED:		5 Wrought Iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass					CASING JOINTS: Glued Clamped Welded Threaded Flush				
Blank casing diameter 2 in. to 4.6 ft. Dia		in. to ft. Dia in. to ft. Dia					in. to ft.				
Casing height above land surface 36 in., weight 0.703							lbs./ft. Wall thickness or gauge No. Sch. 40				
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC		8 RMP (SR) 10 Asbestos-cement					9 ABS 11 Other (specify)				
2 Brass 4 Galvanized steel 6 Concrete tile 8 Saw cut 11 None (open hole)		9 Drilled holes 12 None used (open hole)					10 Other (specify)				
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut		6 Wire wrapped					11 None (open hole)				
2 Louvered shutter 4 Key punched											
SCREEN-PERFORATED INTERVALS: From 4.6 ft. to 14.6 ft. From							ft. to ft.				
From							ft. From ft. to ft.				
GRAVEL PACK INTERVALS: From 4 ft. to 15 ft. From							ft. From ft. to ft.				
From							ft. From ft. to ft.				
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite		4 Other									
Grout Intervals From 0 ft. to 4 ft. From		ft. to ft. From					ft. to ft.				
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 13 Insecticide storage											
Direction from well?											
FROM 0 TO 7.5 CODE CL LITHOLOGIC LOG Silty Clay				FROM		TO		PLUGGING INTERVALS			
7.5 15 Limestone											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 5-10-05 and this record is true to the best of my knowledge and belief. Kansas											
Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 7-20-05											
under the business name of Geotechnical Services, Inc. by (signature) Allison M. Irwin											
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St, Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.											