


1 LOCATION OF WATER WELL:		Fraction County: Butler	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$	Section Number 34	Township Number 25	Range Number R 05 E	
Distance and direction from nearest town or city street address of well if located within city? 1835 N. Topeka, El Dorado (Former Coastal Refinery)							
2 WATER WELL OWNER:		El Paso Merchant Energy-Petroleum Company 2 N. Nevada Ave Colorado Springs, CO 80903					Board of Agriculture, Division of Water Resources Application Number:
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:							4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 1 8.5 ft. ELEVATION: 1314.98 TOC WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 15 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
5 TYPE OF BLANK CASING USED:		1 Steel 2 PVC	3 RMP (SR) 4 ABS	5 Wrought Iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued <input type="checkbox"/> Clamped <input type="checkbox"/> Welded <input type="checkbox"/> Threaded Flush	
Blank casing diameter		2	in. to 4.8	ft., Dia	in. to	ft., Dia	in. to ft.
Casing height above land surface		36	in., weight	0.703	lbs./ft.	Wall thickness or gauge No.	Sch. 40
TYPE OF SCREEN OR PERFORATION MATERIAL:		1 Steel 2 Brass	3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:		1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)	
SCREEN-PERFORATED INTERVALS:		From 4.8	ft. to	14.8	ft. From	ft. to	ft.
GRAVEL PACK INTERVALS:		From 3.7	ft. to	15	ft. From	ft. to	ft.
From		ft. to	ft. From	ft. to	ft. From	ft. to	ft.
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout	3 Bentonite	4 Other			
Grout Intervals		From 0 ft. to 3.7 ft. From	ft. to	ft. From	ft. to	ft. From	ft. to
What is the nearest source of possible contamination:							
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well		
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/ Gas well		
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 5-10-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 7-20-05							
under the business name of Geotechnical Services, Inc.		by (signature) Allison M. Irwin					
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St, Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							