			WA <sup>-</sup>	TER WELL RECORD	Form W	WC-5 KSA 8	82a-1212			
		ATER WELL:	Fraction			Section Numb	oer Townshi	p Number	Range Number	
	Butler		SW 1	~- ~	W 1/4	35	T 2:	5 S	R 5 (E)W	
Distance and direction from nearest town or city street address of well if located within city?										
700 North Starr, El Dorado, Kansas										
2 WAT	ER WELL O	WNER: Western	Resources,	Inc.						
RR#, St. Address, Box # : P.O. Box 889  Board of Agriculture, Division of Water Resources										
City, State, ZIP Code : Topeka, Kansas 66601							Application Number:			
	TE WELL'S	LOCATION /			19	# FII			293.3	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered 1										
T .									yr <b>2/25/98</b>	
<b>↑</b>		\								
	NW	NE L							mpinggpm	
	Est Yield . NA gpm: Well water was ft. after hours pumping									
w Mile	W Bore Hole Diameter 8 in. to									
=	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1	sw	SE	1 Domesti						Other (Specify below)	
1 1	JVV	1 -	2 Irrigation	n 4 Industrial	7 Lawn ar	nd garden only	10 Monitoring	well		
<b>↓</b> 1	Χ			:al/bacteriological samp	ole submit				, mo/day/yr sample was	
<u> </u>		)	submitted			V	Water Well Disinf	ected? Yes	No 🗸	
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 C	oncrete tile	CASING	JOINTS: Glue	d Clamped	
<sup></sup> 18	Steel	3 RMP (SR)		6 Asbestos-Cement	9 0	ther (specify be	elow)	Weld	led	
<b>2</b>	VC	4 ABS		7 Fiberglass				Threa	aded. 🗸	
Blank cas	ing diameter	r <b>.2</b>	in. to	.9 ft., Dia		in. to	ft., Dia .		. in. to ft.	
									lo	
		R PERFORATION		,, <b>.</b>		PVC		Asbestos-cem		
	iteel	3 Stainless s		5 Fiberglass		RMP (SR)			)	
	rass	4 Galvanized		6 Concrete tile	0	ABS		None used (op		
									•	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 No 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								i i None (open noie)		
			punched							
	ouvered shu	•		7 Torci			Tu Otner (spe	сіту)		
SCREEN-PERFORATED INTERVALS: From9ft to										
From										
,	SKAVEL PA	CK INTERVALS:								
				_	_				to	
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout (3) Bentonite 4 Other										
Grout Inte	ervals: From	n f	t. to6.	ft., From	. 6	.ft.to8	ft, From	1	ft. to ft	
What is t	ne nearest s	ource of possible c	ontamination:		10 Liv	10 Livestock pens 14 Abandoned water well				
1 Sep	tic tank	4 Lateral	lines	7 Pit privy		11 Fu	11 Fuel storage		15 Oil well/Gas well	
2 Sev	ver lines	5 Cess p	ool	8 Sewage lagoon			ertilizer storage	ther (specify below)		
3 Wa	tertight sewe			9 Feedyard			13 Insecticide storage Former Tank Basin			
Direction from well? South How many feet? 10										
FROM	10		LITHOLOGIC	LOG	FRO		1	PLUGGING	TERVALS	
0	0.5	Gravel,								
0.5	19	Clay, Red Brov	vn							
									*****	
					-					
	<del> </del>				-					
	-									
	<del> </del>						<del> </del>			
	-									
							MW6, Tag # 00	264583, Flush	mount	
							Project Name: I	El Dorado Serv	ice Center	
							GeoCore # 569,	KDHE # U2 0	08 1328	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction										
and was completed on (mo/day/year)										
				<b>527</b> Th					3/2/98	
	business na			ore Services, Inc.		by (sign	. /1	e. I.		
					dondy DI-		70		end top three copies to Kansas	
	encircinas liga	ELV DEWITTER OF DAIL DOINT	Ueri. PLEASE P	KESS FIRMLY AND PRINT	acanv. Pies	ise iili in Dianks. Un	ideniine of circle the ci	uriectanswers. S	en lu lod iniee codies to Kansas I	

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66820-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.