WATER V	WELL RE	CORD	Form V	VWC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: Butler			Fraction ¼ NE ¼ N	W ¼ NW ¼		Township No. T 25 S		
		of Well Location; i	f unknown, distance	Global Positioning	System (GPS) in	formation:		
from nearest town or intersection: If at owner's address, check here .					Latitude:373387 (in decimal degrees)			
1802 N	1802 North Star Rd.					Longitude: 95.8554 (in decimal degrees)		
El Dorado, KS 67042					Elevation:			
2 WATER WELL OWNER: Union Tank Car Company					Collection Method			
RR#, Street Address, Box #: 1802 No			orth Star Road Company		GPS unit (Make/Model: Goran 60 CS			
			io, KS 67042		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE				- 26				
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)						a) = 0	
	N BOX:				ft. (2)			
		WELL'S STATI	C WATER LEVELft. below land surface measured on mo/day/yrft. below land surface measured on mo/day/yrft.					
			test data: Well water wasft. after hours pumping gpm					
NWNE EST. YIELD			gpm. Well water wasft. after hours pumping gpm					
			eter					
			TO BE USED AS: Public water supply Geothermal Injection well					
sw	SE		☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)					
			☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well					
	,					res VINO		
S If yes, mo/day/yr sample was submitted								
water went districted:								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surfacein., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot								
Conditions soit Wine wrapped Torch cut Drined holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.								
From								
From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Oil Refinery								
	from well				rom well		CONO DIZERNA C	
FROM TO		LITHOLOGI		FROM	TO LITHO. LC	G (cont.) or PLU	GGING INTERVALS	
0 7	_		m, stiff	 				
7 19.		dork gray,	s HYP	+				
19.5 2	is Lines	MAC		1				
					-			
				1		***************************************		
				+				
				 		· · · · · · · · · · · · · · · · · · ·		
				 				
				 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was 7 constructed 7 constructed as 7 closed								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (modes)/(19/11) and this record is true to the best of my knowledge and belief								
under my jurisdiction and was completed on (mo/day/year) .4/19/11								
under the business name of .Below Ground Surface Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
CSA 82a-1212 Check: ₩hite Copy, ☐ Blue Copy, ☐ Pink Copy								