TW-55

WATER WELL RECORD	Form W	WC-5	Division of Wate	r Resources App. No	
1 LOCATION OF WATER W	ELL: Fraction	Se Se	ction Number		Range Number
County: Butler	1/4 NW1/4 SE	: 1/4 > 5 1/4	27	T 25 S	
Street/Rural Address of Well L	& direction Glo	obal Positioning	System (GPS) inf	formation:	
from nearest town or intersection: If at owner's address, check here .			Latitude: .37. 74.146 (in decimal degrees) Longitude: 96. 76.082 (in decimal degrees)		
Former El Paso Refinery; N. Topeka St. & W. Refinery Rd.			Elevation:13.2\		
El Dorado, KS			Datum: WGS 84, W NAD 83, NAD 27		
2 WATER WELL OWNER: El Paso Corporation			Collection Method		
RR#, Street Address, Box #: 2 North Nevada			☐ GPS unit (Make/Model: Garmin 60 ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
City, State, ZIP Code :	Colorado Springs, CO 8090)3 L	Digital Map/Ph	oto, lopographic	Map, Land Survey
3 LOCATE WELL St. Accuracy:					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL					
SECTION BOX: Depth(s	s) Groundwater Encountered	(1)	ft. (2). 	ft. (3),
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. (3) ft. (3) ft. (2) ft. (3) ft. (2) ft. (3) ft. (3) ft. (4) ft. (5) ft. below land surface measured on mo/day/yr ft. (5) ft. below land surface measured on mo/day/yr ft. (6) ft. (7) ft. (1) ft. (1) ft. (1) ft. (1) ft. (2) ft. (1) ft. (2) ft. (1) ft. (2) ft. (1) ft. (1) ft. (1) ft. (2) ft. (1) ft.					
Pump test data: Well water wasft. after					
EST. YIELDgpm. Well water wasft. after					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
SW SE- Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No					
s If yes, mo/day/yr sample was submitted					
mile Water well disinfected? Yes No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING IOINTS: Clued Clamped Welded Threaded					
Casing diameter .2					
Casing height above land surface. 30 in., Weight					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel Stainless Steel ✓ PVC Other (Specify)					
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
Continuous elet ZI Mill clot					
Continuous stot					
SCREEN-PERFORATED INTERVALS: From					
From. — ft. to — ft., From — ft. to — ft. o — ft. ft. to — ft. ft. o —					
GRAVEL PACK INTERVALS: From					
From					
Grout Intervals: From					
Septic tank	Lateral lines Pit privy	Livestock pens	☐ Insecticide		r (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					er Oil Refinery
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Former Oil Kellnery Direction from well					
	HOLOGIC LOG	FROM TO			GING INTERVALS
FROM TO LIT		TROM TO	Extrao. De	<u> </u>	
5 8 limeston	.				
			1 171	etad [7] maganatmic	ated or I plugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigcirc \) constructed, \(\bigcirc \) reconstructed, or \(\bigcirc \) plugged under my jurisdiction and was completed on \(\bigcirc \) (mo/day/year) \(\bigcirc \). \					
under my jurisdiction and was completed on (mo/day/year)					
under my jurisdiction and was completed on (mo/day/year)					
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include 165 of 55.55 for each					
http://www.kdheks.gov/waterwell/index.htr	nl.		Check: Wh	ite Copy, Blue	Copy, Pink Copy
KSA 82a-1212					ry