				Water Well Reco	rd Form WWC-	5 KSA 82a-1212			
1 roc	ATION OF W	ATER WELL:	FRACTION			Section Number	Township Number	Range Number	
	Sedgr	wick	NW 1/4	SW 1/4	SW 1/4	19	T 26 s	R 1E EW	
Distanc		frem nearest town or city stre	eet address of well if loca			•	<u> </u>		
,	//	le S. of 53			TAT A	hita Va			
	ATERWELL				MIC	hita, Kar	1202		
ш			OF WICHIT	A			Doord of Agriculture	Divivsion of Water Resource	
i .	, ST. ADRESS		Box 9163						
CIT	Y, STATE, ZI	PCODE: Wichia	ta, Kansa				Application Number: 950299		
			DEPTH OF COM	IPLETED WELL	40	ft. ELE	VATION:		
AN "	X" IN SECTIO	N BOX:	Depth(s) groundwa	ater Encountered	1	ft.	2 ft.	3 ft.	
l t		l wi	ELL'S STATIC W	ATER LEVEL 1	.3 F1	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	09/28/1995	
1	1		Pump test		water was	ft. s	fter hours pur	• •	
l '	NW	NE Fet	. Yield		water was		after hours pur		
3				91			-		
1MBe	w		e Hole Diameter	12 in.	to 40	ft.	and in.	to fl.	
l			LL WATER TO F		5 Public water		•	Injection well	
lı	sw.	sign	1 Domestic	3 Feedlot	6 Oil field w		•	Other (Specify below)	
	r		2 Irrigation	4 Industrial	7 Lawn and	garden only 1	0 Monitoring well		
↓			s a chemical/bacte	riological sample s	submitted to D	epartment? Yes	No 🗶 ; If yes,	mo/day/yr sample was	
			bmitted			Wate	er Well Disinfected? Yes	X No	
5 T	YPE OF CA	ASING USED:		5 Wrought iron		8 Concrete tile	CASING JOINTS:	Glued X Clamped	
1 Steel 3 RMP (SR)				6 Asbestos-Cement 9 Other (Special			fy below) Welded		
2 PV	'C	4 ABS		7 Fiberglass		DR-26	*	Threaded	
	casing Dian		4- 20	ū					
ł	-		to 20	ft., Dia	in o		ft., Dia in.	to ft.	
		ve land surface 24 EN OR PERFORATIO	in., N Material.	weight			Wall thickness or gauge No. 10 Asbestos-cen	.332	
!			N WIATERIAL:	5 Fiberglass		7 <u>PVC</u> 8 RMP (SR)			
1 St	-	3 Stainless Steel		J			11 other (specif		
2 Br	ass	4 Galvanized steel		6 Concrete tile		9 ABS	12 None used (o	• ′	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped							8 Saw cut	11 None (open hole)	
1 Con	tinous slot	3 Mill slot		6 Wir	6 Wire wrapped 9 Drille				
2 Louv	ered shutte	er 4 Key punch	ed	7 Tors	ch ent		10 Other (specify)		
SCRE	EN-PERFO	RATION INTERVALS	S: from 20		t. to 40	6 F	6 * 40	ft.	
			20			ft., From	ft. to		
l			from		it. to	ft., From	ft. to	ft.	
	GRAV	EL PACK INTERVAL	S: from 20		ft. to 40	ft., From		•	
			from		ft. to	ft., Frem	ft. to		
	OUT MAT		- -	ement grout	3 Be	ntonite	4 Other bentonite	e hole plug	
Grout	Intervals:	From O ft.	. to 20	ft. From	ft.	to	ft. From	ft. to ft.	
What is the nearest source of possible contamination:					10 Liv		ck pens 14	Abandon water well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel sto	rage 15	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertiliz	= -	16 Other (specify below)		
3 Wat	tertight sew			9 Feedvard	9 Feedyard 13 Inse			e Apparent	
	ion from we		pit	> 1 ccuyuru				e whharenc	
FROM			HOLOGIC LOG		FROM	ТО	How many feet? PLUGGING INTE	PVALS	
0	12	topsoil	HOLOGIC LOG		FROM	1 10	TEGGING INT	AVADS	
2	10								
	10	clay	9.1						
10	20	fine to me							
20	40	medium to		and					
ļ <u>.</u>		and gravel							
					i				
]			
						1			
					- 1				
	+			· · · · · · · · · · · · · · · · · · ·					
·									
									
			-1						
						1		*****	
7									
⁷ Co	NTRACTO	OR'S or landowner's ci	ERTIFICATION: Thi	s water well was	(1) construct	ed, (2) reconstru	cted, or (3) plugged under	my jurisdiction and	
was	completed	on (mo/day/year)	UY/.Z\.	T335	and this re	cord is true to the	best of my knowledge and	d belief. Kansas Water	
Well	Contracto	r's License No	<u> </u>	This Water Well f	Record was o	ompleted on (mo	o/day/yr)10/0		
Unde	r the busi	ness name ofHAXI	S WeTT &	rump Serv	nce, I	N.C by (signa	ture)	7 1 0	
							المرجم م	tandatiok	
							yaru c	Frederick	