li oc	TION OF W	ATER WELL:	FRACTION		Water Well Re	cord Form WV	VC-5	KSA 82a-1212	Tr 20 - 1	T	
								Section Number	Township Number	Range Number	
Sedgwick NW 1/4						SW 1/	4	19	T 26 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?											
3/4 mile S. of 53rd N. & Meridian Wichita, Kansas											
1	TER WELL								 		
RR#, ST. ADRESS, BOX#: P.O. Box 9163 Board of Agriculture, Divivsion of Water Resource											
CITY	, STATE, ZII							67277	Application Number	r: 950299	
3 1.0CA	TE WELL'S I		DEPTH OF		TED WELL	L 40			VATION:		
	" IN SECTIO	N DOV.	Def fil of Depth(s) gro					ft.	2 ft.	3 ft.	
1 +	!		, .				FT		FACE MEASURED ON mo/day/yr	09/28/1995	
WELL'S STATIC WATE Pump test data					LK DEVEL 10						
'	NW					•••			fter hours pun		
Est. Yleld									ifter hours pun		
Bore Hole Diameter 12 in. to								ft.	and in.	to ft.	
					•••				•		
								Other (Specify below)			
1 1			2 Irrigation				Ū	•	Monitoring weli		
*	<u> </u>	-		bacteriolog	ical sample	submitted to) Dej	partment? Yes		no/day/yr sample was	
submitted water well Disinfected? Yes X No											
					Vrought iro			Concrete tile		Glued 🗶 Clamped	
1 Ste		3 RMP (SR)		6 Asbestos-Cement 9 Other (Specify				•	Velded		
2 PV	<u> </u>	4 ABS		7 F	iberglass		SI	DR-26]	[hreaded	
1	asing Diam	•	to 20	ft	., Dia		in.		ft., Dia in.	to ft.	
		ve land surface 24		in. ,	weight	5.52			Vall thickness or gauge No.	.332	
1		EN OR PERFORATION	N MATERIA					PVC (GP)	10 Asbestos-cem		
1 Ste		3 Stainless Steel			Fiberglass 8 RMP (SR)			, ,	11 other (specify)		
2 Bra	S S	4 Galvanized steel		6 Co	ncrete tile		9.	ABS	12 None used (o	•	
1		RFORATION OPENIN	G ARE:		5 G	auzed wrapp	ed		8 Saw cut	11 None (open hole)	
1 Conti	nous slot	3 Mill slot			6 W	ire wrapped			9 Drilled holes		
2 Louve	red shutte	er 4 Key punche	ed		7 To	rch cut			10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 20 ft. to 40 ft., From ft. to										ft.	
			from	_		ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 20				20	ft. to 40			ft., From	ft. to	ft.	
			from			ft. to		ft., From	ft. to	ft	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug											
Grout Intervals: From 6 ft. to 20 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination:								10 Livestoc		Abandon water well	
1 Septic tank 4 Lateral lines				7 Pit privy			11 Fuel sto	rage 15	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Fertilize		16 Other (specify below)		
3 Wate	rtight sew	er lines 6 Seepage p		9 Feedyard 13 Inse			13 Insectic	lde storage None	Apparent		
Direction from well? How many feet?											
FROM	TO	LITH	IOLOGIC I	.OG		FRO	M	TO	PLUGGING INTE	RVALS	
Q	2	topsoil		4-14-P-1							
2	10	clay									
10	20	fine to me	dium s	and							
20	40	medium to	coarse	sand	.				N		
		and gravel							***		
ļ											
								<u> </u>			
ļ								1 1			
ļ	ļ										
								1			
			* *************************************								
Ì								1 - 1			
		<u> </u>						 			
i	†							 			
l								 			
-	L	<u> </u>	······································					<u> </u>			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and											
was completed on (mo/day/year)											
Well Contractor's License No											
Under the business name of Harp Well & Pump Service, Inc by (signature)											
Jane Frederick											