Line	'A TION OF W	TED WELL.	FRACTION	Water V	ell Record Form		SA 82a-1212 tion Number			
1 LOCATION OF WATER WELL: Sedgwick			ì	377.7				Township Number		Range Number
Distan			SW 1/4		4 SW	1/4	20	1 26 s		R 1E E/W
Distance and direction from nearest town or city street address of well if located within city? 4811 N. Salina Wichita, Kansas										
	ATER WELL				sas				·	
		MODEN	STEIN, E					Board of A	Agriculture, Divivsion	of Water Resource
RR#, ST. ADRESS, BOX#: 4811 N. Salina CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:										
		LOCATION WITH 4		OMPLETED V	VELL 4	0 f	ELE'	VATION:	Caron I (annoc).	
	X" IN SECTIO		Depth(s) groun		_	•	ft.	2	ft. 3	ft.
1		i Iw	ELL'S STATIC			FT. BELO	OW LAND SUR	FACE MEASURED ON		0/05/1995
	NW.			test data:	Well water w	as	ft. a	fter h	ours pumping	gpm
		1 1	t. Yield	gpm:	Well water v	/as	ft. s	after h	ours pumping	gpm
1Mile	w —	E Bo	re Hole Diamete	r 12	in. to 4	0	ft.	and	in. to	ft.
=	WELL WATER TO B			O BE USED AS	s: 5 Public	water sup	ply 8	3 Air conditioning	11 Injecti	
SW 1 Domestic				3 Feedlot						(Specify below)
			2 Irrigation	4 Industri	al 7 Lawn	and garde	n only 10	0 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was										
Submitted Water Weil Disinfected? Yes X No										
5 W Toug					ht iron s-Cement	-				
2 PV		4 ABS		7 Fibergla			• •	iow)	Thread	
l —	casing Dian		. to 30	J	Dia	SDR-	- 40 0	ft., Dia	in. to	ft.
į.	_	_		ft.,	ight 2.35	in. t	-	•		.214
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement										
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)										
2 Br	488	4 Galvanized steel		6 Concrete	tile	9 ABS	;	12 No	ne used (open ho	le)
SCRE	EN OR PE	RFORATION OPENI	NG ARE:		5 Gauzed wrap	ped		8 Saw cut	11	None (open hole)
1 Con	tinous slot	3 Mill slot			6 Wire wrappe	:d		9 Drilled holes		
2 Lou	vered shutte	er 4 Key punc	hed		7 Torch cut			10 Other (specif	y)	
SCREEN-PERFORATION INTERVALS: from 30 ft. to 40 ft., From ft. to ft.										
			from		ft. to		ft., From		ft. to	ft.
GRAVEL PACK INTERVALS: from 24				24	ft. to 40		ft., From		ft. to	ft.
	···		from		ft. to		ft., From		ft. to	ft.
i)	OUT MAT			2 Cement grout	<u>!</u>	3 Bentoni	te	4 Other		
Grout Intervals: From 4 ft. to 24 ft. From What is the nearest source of possible contamination:						ft. to	10 Livestoc	ft. From		to ft.
1 Septic tank 4 Lateral lines				7 Pit	7 Pit privy		11 Fuel storage		14 Abandon water well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Fertilizer storage		15 Oil well/Gas well 16 Other (specify below)	
1	tertight sew	-		9 Feed			ide storage	None Apparent		
Į	ion from we	o seepage	hir	>100	-, u			How many feet?	_	barenc
FROM		<u> </u>	THOLOGIC LO	G	FF	OM	ТО		NG INTERVAL	,s
0	4	topsoil						1000000		
4	18	clay								
18	25	fine sand								
25_	40	coarse sa	nd							
l										
	 		-				· · · · · · · · · · · · · · · · · · ·			
·										
<u> </u>										
	1					 				
			-							
Ī	1				 					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was (1) constructed. (2) reconstructed, or (3) plugged under my jurisdiction and										
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)										
Well	Contractor	's License No	236	This Water	Well Record v	vas compi	eted on (mo	/day/yr)	10/23/9	5
Under the business name of Harp Well & Pump Service, Inc. by (signature)										
Jane Frederick										
Į										