

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Sedgwick		1/4 NW 1/4 NE 1/4	35	T 26 S	R 1 EW
Distance and direction from nearest town or city street address of well if located within city? 4111 East 37th Street North, Wichita, Kansas					
2 WATER WELL OWNER:		01968501 SB-49			
RR#, St. Address, Box # :		4111 East 37th Street North		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code :		Wichita, Kansas 67208		Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 44.3 ft. ELEVATION: 1365.45			
		Depth(s) Groundwater Encountered 1. 13.8 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 1351.63 ft. below land surface measured on mo/day/yr 02/01/96			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield N/A gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8.25 in. to 44.3 ft. and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC		4 ABS	7 Fiberglass		Threaded
Blank casing diameter 2 in. to 13.8 ft. Dia		in. to ft. Dia		in. to ft.	
Casing height above land surface -2 in. weight lbs./ft. Wall thickness or gauge No. Schedule 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 13.8 ft. to 44.3 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 11.8 ft. to 44.3 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 10 ft. From 10 ft. to 11.8 ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? Northwest				13 Insecticide storage	Former Holding Tank
				How many feet? 400	
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS			
0	6.5	Silt, Medium Brown, Roots			
6.5	13.4	Clay, Orangish Brown, Moist			
13.4	13.7	Poorly Graded Sand, Medium Sand Moist			
13.7	26.8	Clay-Sandy Clay, Medium Brown, Medium Sand, Moist-Wet			
26.8	26.9	Poorly Graded Sand, Wet, Fine Sand			
26.9	27.9	Sandy Clay, Moist-Wet			
27.9	28.3	Well Graded Sand, Wet			
28.3	29.5	Clay, Light Gray, Moist			
29.5	35.0	Well and Poorly Graded Sand, Wet, Fine to Medium Sand			
35.0	42.1	Clay-Sandy Clay, Moist			
42.1	44.0	Shale, Dark Gray, Laminated			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 02/06/96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 02/27/96 under the business name of Terracon Consultants, Inc. by (signature) Steve Fisher					