1 LOCA	TION OF WA	ATER WELL:	FRACTION	Water Well Reco	ord Form WWC-	Section Number	Township Number	Range Number
Sedgwick			SE 1/4	SE 1/4	SW 1/4	7	26	1 12
Distance					SN 1/4	<u> </u>	T 20 s	R IE E/W
Distance and direction frem nearest town or city street address of well if located within city?								
6224 Bella Road Wichita, Kansas								
2 WATER WELL OWNER: LEEWOOD HOMES								
RR#, ST. ADRESS, BOX#: 6224 Bella Road Board of Agriculture, Divivsion of Water Resource								
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:								
		OCATION WITH 4	DEPTH OF COM	IPLETED WELL	45	ft. ELE	VATION:	
AN "X	" IN SECTIO	N BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.
		W	ELL'S STATIC W	ATER LEVEL 1	L 5 F1	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	02/12/1996
	NW	NE	Pump test	data: Well	water was	ft. a	fter hours pum	ping gpm
			rt. Yield	gpm: Well	l water was	ft. a	after hours pum	
] ¥ v	,		ore Hole Diameter	12 in.	to 45	ft.	and in.	to ft.
≦ "	'	1 1 15	ELL WATER TO I		5 Public water	_		njection well
l .			1 Domestic	3 Feedlot	6 Oil field wa		•	Other (Specify below)
	sw	, SE	2 Irrigation	4 Industrial	7 Lawn and		Monitoring well	men (openity cone)
								o/dov/vr comple was
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes Y No								
TURE OF CASING VIOLE								
1 Ste				5 Wrought iron		Concrete tile		lued X Clamped
7 Outer (Specify Delow) Western								
2 PV		4 ABS	•	7 Fiberglass	S	DR-26		hreaded
	asing Diam	_	L to 35	ft., Dia	in.	to	ft., Dia in.	to ft.
		ve land surface 12	in.,	weight :			Vall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Ste	el	3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify))
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
SCREE	EN OR PEI	RFORATION OPENI	ING ARE:	5 Gar	uzed wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREE	N-PERFO	RATION INTERVAL				• 5		ft.
Jene	Did O	KATION INTERVAL			t. to 45	ft., From	ft. to ft. to	
from					ft. to			ft.
GRAVEL PACK INTERVALS: from 24					ft. to 45	,		ft.
from ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
				ft. From			ft. From	ft. to ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines			7 D/4 - 1	10 Livestock pens 7 Pit privy 11 Fuel storage			bandon water well	
- Taker in mics				- ·		130	Dil well/Gas well	
2 Sewer lines 5 Cess pool			•	8 Sewage lagoon 12 Fertilizer sto 13 Insecticide s		o and openly relain,		
5 water ugite sewer mites 6 See page pit 7 Feeu yaru								
Direction from well? East How many feet? 75								
FROM			THOLOGIC LOG		FROM	TO	PLUGGING INTER	VALS
0	2	topsoil						
2	15	clay						
15	45	medium to	coarse s	and				
				errates .				
	 						* ***	
						-		
								
CONTRACTOR'S or Landowner's Certification: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well C	ontractor	's License No2	136	This Water Well f	Record was c	ompleted on (mo	/day/yr)Ω2./.14	./96
Under	the busin	ess name ofHax	p Well &	<u>Pump Serv</u>	rice, I	እር by (signat	ture)	
							Jane Fr	rodorick.