1 LOCATION OF WATER WELL:		ATER WELL:	FRACTION	Yra	IEI WEII KERRIU	POHII W WC-	Section Number	Township Number	Range Number	
Sedgwick			NE 1/4	NW	1/4 S	SW 1/4	32	т 26 s	R 1E EW	
Distance and direction from nearest town or city street address of well if located within city?										
3302 N. Salina Wichita, Kansas										
	ATER WELL		ER, Jerr							
Ľ	, ST. ADRESS,		N. Salin					Board of Agriculture, D	Divivsion of Water Resource	
	Y, STATE, ZIP		ta, Kans					Application Number	er:	
			DEPTH OF CO		ED WELL	40	ft. ELE	VATION:		
	X" IN SECTIO		Depth(s) ground			1	ft.	2 ft.	3 ft.	
l t			ELL'S STATIC			2 FT	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	02/26/1996	
	i			est data:		water was	ft. a	ifter hours pum		
	NW	NE	Yield	gpm:		water was		after hours pum	- 0	
Mile M		1 1 1	re Hole Diameter	•		to 40	ft.	and in.	to ft.	
ĭ ¥ W	X		ELL WATER TO			5 Public wate	_		Injection well	
			1 Domestic	3 Feed		6 Oil field wa	•••		Other (Specify below)	
	sw	S	2 Irrigation	4 Indu		7 Lawn and		0 Monitoring well	and fake	
1 1		Wa	as a chemical/bac	cteriologica				•	no/day/yr sample was	
·			ıbmitted	,	n sample -	Dime	•	er Well Disinfected? Yes	X No	
5 TY	PE OF CA	ASING USED:		5 Wr	ought iron		8 Concrete tile		Glued X Clamped	
1 Stee		3 RMP (SR)			ought from estos-Cemen		Other (Specify be		Nelded & Champed	
2 PV		4 ABS			erglass		DR-26		Threaded	
	asing Diam		to 30		J	in.				
	•	ve land surface 12		ft.,	Dia weight 2			ft. , Dia in. Vall thickness or gauge No.	to ft.	
	_	EN OR PERFORATION	in. N MATERIAL:	,	Weight &		7 PVC	van unckness or gauge 140. 10 Asbestos-cem	.214 ent	
1 Ste		3 Stainless Steel		5 Fiber	rglass		8 RMP (SR)	11 other (specify		
2 Bra		4 Galvanized steel		6 Conc	rete tile	9	9 ABS	12 None used (or	•	
1		RFORATION OPENIN	IC ADE.		5 Conz	ed wrapped		8 Saw cut	11 None (open hole)	
	inous slot	3 Mill slot	WARE.			wrapped		9 Drilled holes	-F	
	ered shutte				7 Torch			10 Other (specify)		
SCREE	N-PERFO	RATION INTERVALS	S: from 3	0	ft.	to 40	ft., From	ft. to	ft.	
			from	ft. to			ft., From	ft. to	ft.	
GRAVEL PACK INTERV			_	:4	ft.	. to 40	ft., From		ft.	
from						to	ft., From		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
ı	intervals:	_	. to 24	ft.	From	ft.		ft. From	ft. to ft.	
1		st source of possible con					10 Livestoc	• • • • • • • • • • • • • • • • • • • •	Abandon water well	
1 Sept	tic tank	4 Lateral lin		7	7 Pit privy		11 Fuel stor	130	15 Oil well/Gas well	
2 Sewe	er lines	5 Cess pool	4	8.5	5 5		12 Fertilize		Other (specify below)	
3 Wate	ertight sewe	er lines 6 Seepage p	pit	91	Feedyard		13 Insection	ide storage		
Directio	on from wel							How many feet? 50		
FROM		LITE	HOLOGIC LOC	G		FROM	ТО	PLUGGING INTE	RVALS	
0	2	topsoil								
2	10	sandy clay								
10	23	medium san	ıd							
23	27	clay								
27	40	medium to	coarse	sand						
	11									
	1					T				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
								best of my knowledge and		
W.C. C	Ontractor	''s License No	. Yell &	Dumn	ter well ke Servi	Cord was c	ompleted on (mo.	o/day/yr)	<i>ll.</i> 7.Q	
Ui r	the Dusin	ess name of		<i>F</i> MH3r.	R.SA.AT.A	h.br.58	A.G by (signar			
								Jane F	reaerick	