				Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCATION OF WATER WELL:			FRACTION			Section Number	Township Number	Range Number
	Sedgv		SE 1/4	SW 1/4 N	1/4	32	T 26 s	R 1E EAN
Distance	and direction	frem nearest town or ci	ity street address of well if i	ocated within city?				
11	12 W.	<u>. 33rd N.</u>		hita, Kansa	S			
	TER WELL		ERSON, Bre					
	ST. ADRESS,		2 W. 33rd				Board of Agriculture	Divivsion of Water Resource
· T	, STATE, ZIF		hita, Kans				Application Num	ber:
	TE WELL'S I ' IN SECTIO	LOCATION WITH N BOX:	<u></u>	MPLETED WELL	40		EVATION:	3 ft.
t		N	1 - ''-	water Encountered	1	ft.	2 ft. RFACE MEASURED ON mo/day/yr	3 ft. 03/21/1996
			1	WATER LEVEL 20 est data: Well wa			_	
•	NW	NE	Est. Yleld		ater was	ft. ft.	after hours pu after hours pu	
M Me Me Me Me Me Me Me Me Me Me Me Me Me	X		Bore Hole Diameter	-		ft.	and in	_
₹ w		T P	WELL WATER TO		Public water			Injection well
		932	1 Domestic	3 Feedlot 6	Oil field wate	er supply	9 Dewatering 12	Other (Specify below)
	37		2 Irrigation	4 Industrial 7	Lawn and ga	rden only	10 Monitoring well	
1			Was a chemical/bac	teriological sample sub	mitted to Dep	partment? Yes	No 🗶 ; If yes,	mo/day/yr sample was
		S	submitted			Wat	ter Well Disinfected? Yes	X No
		SING USED:		5 Wrought iron		Concrete tile	CASING JOINTS:	Glued X Clamped
1 Stee	1	3 RMP (SR)		6 Asbestos-Cement	90	Other (Specify b	elow)	Welded
2 PVC	_	4 ABS		7 Fiberglass	SI	R-26		Threaded
	sing Diam	_	in. to 25	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Ste		3 Stainless Steel	TION WATERIAL:	5 Fiberglass	_	PVC RMP (SR)	11 other (speci	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS							12 None used (	
SCREE	N OR PEI			5 Cauze	l wronned		8 Saw cut	11 None (open hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 No. 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								`• ′
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 25 ft. to 35 ft., From ft. to ft.								
from ft. to						ft., From		_
	GRAV	EL PACK INTER	VALS: from 2		ft. to 40 ft., From			
			from		ft. to ft.,		n <u>ft. t</u> e	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 4 ft. to 24 ft. From What is the nearest source of possible contamination:						to ft. From ft. to ft.		
what is the hearest source of possible  1 Septic tank 4 Latera				7 Pit privy	10 Livestock pens rivy 11 Fuel storage		27000	Abandon water well
7 Dateia				8 Sewage lagoo	n	12 Fertilizer storage		5 Oil well/Gas well 5 Other (specify below)
	rtight sew	5 Cess or Huge 6 Soon	-				cide storage	Outer (specify below)
FROM	ТО		LITHOLOGIC LOC	3	FROM	то	PLUGGING INT	ERVALS
0	2	topsoil						
2	15	clay						
15	40	medium s	sand					
				· · · · · · · · · · · · · · · · · · ·				
-								
					<u> </u>			
						<del>                                     </del>		
						<del>                                     </del>		
						<del>                                     </del>		
7 (00)	TDACTO	DIS OR LANDOWNE	DIS CENTIFICATION. T	hic water well was (1)	constructor	d (2) reconstru	ucted, or (3) plugged under	my jurisdiction and
Was co	mpleted	on (mo/dav/vear	03/21	/1996 a	nd this reco	rd is true to th	ie best of my knowledge an	d belief. Kansas Water
Well C	ontractor	's License No	236	. This Water Well Red	ord was co	mpleted on (m	o/day/yr)	22/96
Under the business name of Harp Well & Pump Service, Inc by (signature)								
							Vana	Frodorick