1 LOCATION OF WATER WELL:			FRACTION	Water Well R	ecord Form WWC-	Section Number	T	I D N N	
							Township Number	Range Number	
Sedgwick NE					SE 1/4	11	т 26 в	R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city?									
511 Shawnee Kechi, Kansas									
	TER WELL		, Kevin						
RR#, ST. ADRESS, BOX#: 511 Shawnee Board of Agriculture, Divivsion of Water Resource									
CITY. STATE, ZIP CODE: Rechi, Kansas Application Number:								•	
3 LOCA	FWELLS	LOCATION WITH 4		OMPLETED WEL	L 65	A FIF			
	" IN SECTIO						VATION:		
		N .		ndwater Encountere		ft.	2 ft.	3 ft.	
				WATER LEVEL	20 F	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	04/26/1996	
	NW	NE	Pump	test data: We	ell water was	ft. a	ufter hours pum	ping gpm	
	,	Es	t. Yield	gpm: W	ell water was	ft. :	after hours pum	ping gpm	
N Mile		E Bo	re Hole Diamet	er 12 in.	to 65	ft.	and in.	to ft.	
= "		1 X: 1-1	ELL WATER T	O BE USED AS:	5 Public wate			njection well	
			1 Domestic		3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
	- 2M	spe		4 Industrial			_	uler (Speeny below)	
+		9 1		acteriological sampl	e submitted to D	-		o/day/yr sample was	
submitted Water Well Disinfected? Yes X No									
5 TY	PE OF CA	SING USED:		5 Wrought in	on 8	Concrete tile	CASING JOINTS: G	lued X Clamped	
1 Stee	l	3 RMP (SR)		6 Asbestos-Ce		Other (Specify be		elded	
2 PVC	,	4 ABS		7 Fiberglass			•	hreaded	
	-					DR-26			
	sing Diam	_	. to 24	ft., Dia	in.		ft., Dia in.	to ft.	
		ve land surface 12		n., weight	2.35		Wall thickness or gauge No.	.214	
TYPE	OF SCREE	EN OR PERFORATIO	ON MATERIAL			7 PVC	10 Asbestos-ceme	nt	
1 Stee	el	3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify))	
2 Bras	SS	4 Galvanized steel		6 Concrete tile	9	9 ABS	12 None used (op	en hole)	
SCREE	N OR PEI	RFORATION OPENI	NG ARE:	5 G	auzed wrapped		8 Saw cut	11 None (open hole)	
	no us slot	3 Mill slot			ire wrapped		9 Drilled holes		
2 Louve	red shutte		had				10 Other (specify)		
					orch cut		10 Other (specify)		
SCREE	N-PERFO	RATION INTERVAL	LS: from 2	24	ft. to 65	ft., From	ft. to	ft.	
			from		ft. to	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24				24	ft. to 65		ft. to	ft.	
,			from		ft. to		ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonlte 4 Other bentonite hole plug									
Crout Intervals: From A A 4 2 A									
1		t source of possible co		IL FIOII	it rom it i		ft. From k pens 14 A		
1 Septic tank 4 Lateral lines				7 Pit priv	7 Pit privy		- 17 <i>1</i> 3	14 Abandon water well	
				-	•	11 Fuel sto 12 Fertiliz	150	15 Oil well/Gas well	
		5 Cess po	ol	_	8 Sewage lagoon		ido etomos	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0	4	topsoil							
4	10	clay							
10	17	fine sand							
17	65	shale				1			
	~~	24472							
					-	—			
·						-			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well C	ontractor	's License No 2	36	This Water Wel	Record was o	ompleted on (mo	/day/yr) 04/29	/96	
Well Contractor's License No236									
							lane \mathcal{F}	rodonich	
							warm o'	WALK/WAIV	