1 LOCATIO	ON OF WA	TER WELL:	Fraction	H WELL	. HECCHD	FOITH VV	Section Nur	nber		Number	Bange	Number	r	
	Sedgwic	k	NC 1/4	SE	E 1/4	NW 1/4				6 s	1	_	EDW	
County:	and direction	from nearest town o							1	0 0				
							City:						l	
		st 37th Stree			-	nsas								
₽	R WELL OW		ch Indust							68501		-33_	1	
,	Address, Bo		11 East 37th Street North					Board of Agriculture, Division of Water Resources						
	, ZIP Code	: Wic	chita, Ka	nsas	67208					tion Number:				
J LOCATE	IN SECTIO	OCATION WITH 4 N BOX:								rox. Surf				
- r										on mo/day/yr				
	i									hours pu				
-	NW	NE	ruiii Ni	piesiua 77	ala. Well w	aler was .		it. ai		nours pu	mping		. gpm	
	¦ x		t. field447	A. g	pm: wellw	ater was .	· · · · · · · · · · · · · · · · · · ·	rt. ar	ter	hours pu	mping		. gpm	
¥ w -	1 A									in.	to		ft.	
	,		ELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											
lı I-	- SW	SE	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									0		
	1		2 Irrigation		Industrial									
H L	1	L Wa	as a chemical/	bacterio	logical samp	le submitted	I to Departmer			X; If yes,		ample wa	as sub-	
-			ted					Wat	er Well Disinfe	ected? Yes	No	X		
5 TYPE C	OF BLANK (CASING USED:		5 Wro	ught iron	8 (Concrete tile		CASING	JOINTS: Glued	J Cla	mped		
1 Ste		3 RMP (SR)		6 Asb	estos-Cemei	nt 9 (Other (specify	below	<i>(</i>)	Welde	ed			
② PV		4 ABS			erglass					Threa	ded X			
Blank casii	ng diameter		to 65	f	t., Dia	. <i></i>	in. to		ft., Dia	i	in. to		ft.	
Casing hei	ight above la	and surface3	6	.in., we	ight			lbs./f	t. Wall thickne	ss or gauge No	. Schedi	ıle 40)	
		R PERFORATION M			•		⊙ vc			Asbestos-ceme			[
1 Ste	eel	3 Stainless ste	eel	5 Fibe	erglass		8 RMP (SR)			Other (specify)				
2 Bra	ass	4 Galvanized	steel		crete tile		9 ABS			None used (ope				
		RATION OPENINGS							8 Saw cut	` .	11 None (d	non hok	٥,	
	ntinuous slo								9 Drilled hole		ii None (C	pen noie	"	
	uvered shutt	_	••				10 Other (specify)							
				6 5			E 4			ft. to				
30HEEN-F	ENFONATI	ED INTERVALS.												
_	SDAVEL DA	OK INTERVALO.	From	/ F	II. IO	36	π.,	, From	n <i></i>	ft. to	D		ft.	
G	MAVEL PA			٠ <u>د م ۲</u>						ft. to				
			From	<u> </u>	ft. to		π.	, Fron	<u> </u>	ft. to			ft.	
	MATERIAL	.: 1 Neat cem	ent (2)Ceme	ent grout	ൃയ	Bentonite	4 (Other					
Grout Inter				n.,	From	4							1	
		ource of possible con							ock pens		pandoned wa			
1 Septic tank 4 Lateral lin			· '				11 Fuel storage			15 Oil well/Gas well				
2 Sewer lines 5 Cess poo			8 Sewage lagoon			12 Fertilizer storage			16 Other (specify below)					
3 Wa	atertight sew	er lines 6 Seepage	pit	9 Feedyard			13 Insecticide storage							
Direction fr								/ man	y feet?					
FROM	TO		LITHOLOGIC	LOG		FRC	M TO	-		PLUGGING IN	ITERVALS			
0	1.0	Silty Clay,												
1.0	3.5	Sandy Clay,												
3.5	5.2	Fine to Coa		, Bro	wn									
5.2	10.0	Clay, Brown												
10.0	10.4	Fine to Med	ium Sand	Bro	wn									
10.4	15.0	Clay Trace	Sand, Bro	own										
15.0	16.0	Fine to Med	ium, Sil	ty Sa	nd, Brow	vn								
16.0	16.5	Clay, Brown												
16.5	26.0	Fine to Coa		With	Clay									
		Seams, Brown												
26.0	28.0	Sandy Clay,												
28.0		Clay, Olive												
	36.0	Clay, Gray												
			b.											
36.0	36.5	Shale, Blac	Λ					_						
			05D=:-:-:	<u> </u>								-4'-		
_		OR LANDOWNER'S	24/96	ON: This	* 1	_								
-	on (mo/day/	year)								best of my kno	~~~	belief. Ka	ansas	
Water Well	Contractor's	S LICENSE INC				Well Recor	-		n (mo/day/yr)	1500	7.4 f			
under the b	ousiness nar	me of Terrac	con Consu	i cant	s, Inc.		by (s	ignatu	ure)	mu To	when			
		pewriter or ball point pen. <u>i</u> ent, Bureau of Water, Tope									opies to Kansas	Departmen	nt	